



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12Q 1/68, C12P 19/34, C07H 21/02, 21/04	A1	(11) International Publication Number: WO 98/03683 (43) International Publication Date: 29 January 1998 (29.01.98)
(21) International Application Number: PCT/US97/12606 (22) International Filing Date: 18 July 1997 (18.07.97) (30) Priority Data: 60/020,998 19 July 1996 (19.07.96) US (71) Applicants (for all designated States except US): THE REGENTS OF THE UNIVERSITY OF MICHIGAN [US/US]; Technology Management Office, Wolverine Tower, Room 2071, 3003 South State Street, Ann Arbor, MI 48109-1280 (US). BOARD OF TRUSTEES OPERATING MICHIGAN STATE UNIVERSITY [US/US]; East Lansing, MI 48824 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): VENTA, Patrick, J. [US/US]; 9646 Rolling Green, Pinckney, MI 48169 (US). BREWER, George, J. [US/US]; 3820 Gensley, Ann Arbor, MI 48103 (US). YUZBASIYAN-GURKAN, Vilma [US/US]; 3101 Dexter Road, Ann Arbor, MI 48103 (US). SCHALL, William, D. [US/US]; 3150 S. Williamston, Williamston, MI 48895 (US). (74) Agents: SMITH, DeAnn, F. et al.; Harness, Dickey & Pierce, P.L.C., P.O. Box 828, Bloomfield Hills, MI 48303 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: DNA ENCODING CANINE VON WILLEBRAND FACTOR AND METHODS OF USE (57) Abstract <p>The complete sequence of the canine von Willebrand Factor cDNA and deduced amino acid sequence is provided. The mutation which causes von Willebrand's Disease in Scottish Terriers, a single base deletion in exon 4, has also been determined. Methods for detecting carriers of the defective vWF gene are also provided.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

DNA ENCODING CANINE VON WILLEBRAND FACTOR AND METHODS OF USE

FIELD OF THE INVENTION

This invention relates generally to canine von Willebrand factor (vWF), and
5 more particularly, to the gene encoding vWF as well as a genetic defect that causes
canine von Willebrand's disease.

BIOLOGICAL DEPOSITS

SEQUENCE

ACCESSION NO.

Canine von Willebrand Factor

BACKGROUND OF THE INVENTION

10

In both dogs and humans, von Willebrand's disease (vWD) is a bleeding
disorder of variable severity that results from a quantitative or qualitative defect in
von Willebrand factor (vWF) (Ginsburg, D. et al., *Blood* 79:2507-2519 (1992);
Ruggeri, Z.M., et al., *FASEB J* 7:308-316 (1993); Dodds, W.J., *Mod Vet Pract* 681-
15 686 (1984); Johnson, G.S. et al., *JAVMA* 176:1261-1263 (1988); Brooks, M., *Probl
In Vet Med* 4:636-646 (1992)). This clotting factor has two known functions,
stabilization of Factor VIII (hemophilic factor A) in the blood, and aiding the adhesion
of platelets to the subendothelium, which allows them to provide hemostasis more
effectively. If the factor is missing or defective, the patient, whether human or dog,
20 may bleed severely.

The disease is the most common hereditary bleeding disorder in both
species, and is genetically and clinically heterogenous. Three clinical types, called
1, 2, and 3 (formerly I, II, and III; see Sadler, J.E. et al., *Blood* 84:676-679 (1994) for
nomenclature changes), have been described. Type 1 vWD is inherited in a
25 dominant, incompletely penetrant fashion. Bleeding appears to be due to the
reduced level of vWF rather than a qualitative difference. Although this is the most
common form of vWD found in most mammals, and can cause serious bleeding
problems, it is generally less severe than the other two types. In addition, a
relatively inexpensive vasopressin analog (DDAVP) can help alleviate symptoms
30 (Kraus, K.H. et al., *Vet Surg* 18:103-109 (1989)).

In Type 2 vWD, patients have essentially normal levels of vWF, but the factor
is abnormal as determined by specialized tests (Ruggeri, Z.M., et al., *FASEB J*
7:308-316 (1993); Brooks, M., *Probl In Vet Med* 4:636-646 (1992)). This type is also

- 2 -

inherited in a dominant fashion and has only rarely been described in dogs (Turrentine, M.A., et al., *Vet Clin North Am Small Anim Pract* 18:275 (1988)).

Type 3 vWD is the most severe form of the disease. It is inherited as an autosomal recessive trait, and affected individuals have no detectable vWF in their blood. Serious bleeding episodes require transfusions of blood or cryoprecipitate to supply the missing vWF. Heterozygous carriers have moderately reduced factor concentrations, but generally appear to have normal hemostasis.

Scottish terriers have Type 3 vWD (Dodds, W.J., *Mod Vet Pract* 681-686 (1984); Johnson, G.S. et al., *JAVMA* 176:1261-1263 (1988)). Homozygotes have no detectable vWF and have a severe bleeding disorder. Heterozygotes have reduced levels of the factor, and are clinically normal (Brooks, M. et al., *JAVMA* 200:1123-1127 (1992)). The prevalence of vWD among Scottish terriers including both heterozygotes and homozygotes has been variously estimated from 27-31% (Stokol, T. et al., *Res. Vet. Sci.* 59:152-155 (1995); Brooks, M., *Proc. 9th ACVIM Forum* 89-91 (1991)).

Currently, detection of affected and carrier Scottish terrier dogs is done by vWF antigen testing (Benson, R.E. et al., *Am J Vet Res* 44:399-403 (1983); Stokol, T. et al., *Res. Vet. Sci.* 59:152-155 (1995)) or by coagulation assays (Rosborough, T.K. et al., *J. Lab. Clin. Med.* 96:47-56 (1980); Read, M.S. et al., *J. Lab. Clin. Med.* 101:74-82 (1983)). These procedures yield variable results, as the protein-based tests can be influenced by such things as sample collection, sample handling, estrous, pregnancy, vaccination, age, and hypothyroidism (Strauss, H.S. et al., *New Eng J Med* 269:1251-1252 (1963); Bloom, A.L., *Mayo Clin Proc* 66:743-751 (1991); Stirling, Y. et al., *Thromb Haemostasis* 52:176-182 (1984); Mansell, P.D. et al., *Br. Vet. J.* 148:329-337 (1992); Avgeris, S. et al., *JAVMA* 196:921-924 (1990); Panciera, D.P. et al., *JAVMA* 205:1550-1553 (1994)). Thus, for example, a dog that tests within the normal range on one day, can test within the carrier range on another day. It is therefore difficult for breeders to use this information.

It would thus be desirable to provide the nucleic acid sequence encoding canine vWF. It would also be desirable to provide the genetic defect responsible for canine vWD. It would further be desirable to obtain the amino acid sequence of canine vWF. It would also be desirable to provide a method for detecting carriers of the defective vWF gene based on the nucleic acid sequence of the normal and defective vWF gene.

- 3 -

SUMMARY OF THE INVENTION

The present invention provides a novel purified and isolated nucleic acid sequence encoding canine vWF. A nucleic acid sequence containing the mutation that causes vWD in Scottish terriers, a single-base deletion in exon 4, is also provided. The nucleic acid sequences of the present invention may be used in methods for detecting carriers of the mutation that causes vWD. Such methods may be used by breeders to reduce the frequency of the disease-causing allele and the incidence of disease. In addition, the nucleic acid sequence of the canine vWF provided herein may be used to determine the genetic defect that causes vWD in other breeds as well as other species.

Additional objects, advantages, and features of the present invention will become apparent from the following description, taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The various advantages of the present invention will become apparent to one skilled in the art by reading the following specification and by referencing the following drawings in which:

Figures 1A-1C is the nucleic acid sequence of the canine von Willebrand factor of the present invention;

Figures 2A-2C is a comparison of the human and canine prepro-von Willebrand factor amino acid sequences;

Figure 3 provides nucleotide sequencing ladders for the von Willebrand's disease mutation region for normal (clear), carrier, and affected Scottish terriers, the sequences being obtained directly from PCR products derived from genomic DNAs in exon 4;

Figure 4 illustrates the results of a method of the present invention used to detect the Scottish terrier vWD mutation; and

Figure 5 shows the Scottish terrier pedigree, which in turn illustrates segregation of the mutant and normal vWF alleles.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The cDNA encoding canine von Willebrand Factor (vWF) has been sequenced, and its sequence is set forth in Figures 1A-1C and SEQ ID NO: 1. The amino acid sequence corresponding to the cDNA of canine vWF has been subsequently deduced and is set forth in Figures 2A-2C and SEQ ID NO: 2. The mutation of the normal vWF gene which causes von Willebrand's Disease (vWD),

- 4 -

a deletion at codon 88 of the normal gene resulting in a frameshift, is also provided. The nucleic acid sequences of the present invention may be used in methods for detecting homozygous and heterozygous carriers of the defective vWF gene.

In a preferred method of detecting the presence of the von Willebrand allele
5 in canines, DNA samples are first collected by relatively noninvasive techniques, *i.e.*, DNA samples are obtained with minimal penetration into body tissues of the animals to be tested. Common noninvasive tissue sample collection methods may be used and include withdrawing buccal cells via cheek swabs and withdrawing blood samples. Following isolation of the DNA by standard techniques, PCR is performed
10 on the DNA utilizing pre-designed primers that produce enzyme restriction sites on those DNA samples that harbor the defective gene. Treatment of the amplified DNA with appropriate restriction enzymes such as *Bs/E* I thus allows one to analyze for the presence of the defective allele. One skilled in the art will appreciate that this method may be applied not only to Scottish terriers, but to other breeds such as
15 Shetland sheepdogs and Dutch Kooikers.

Overall, the present invention provides breeders with an accurate, definitive test whereby the undesired vWD gene may be eliminated from breeding lines. The current tests used by breeders are protein-based, and as noted previously, the primary difficulty with this type of test is the variability of results due to a variety of
20 factors. The ultimate result of such variability is that an inordinate number of animals fall into an ambiguous grouping whereby carriers and noncarriers cannot be reliably distinguished. The present invention obviates the inherent limitations of protein-based tests by detecting the genetic mutation which causes vWD. As described in Specific Example 1, the methods of the present invention provide an
25 accurate test for distinguishing noncarriers, homozygous carriers and heterozygous carriers of the defective vWF gene.

It will be appreciated that because the vWF cDNA of the present invention is substantially homologous to vWF cDNA throughout the canine species, the nucleic acid sequences of the present invention may be used to detect DNA mutations in
30 other breeds as well. In addition, the canine vWF sequence presented herein potentially in combination with the established human sequence (Genbank Accession No. X04385, Bonthron, D. et al., *Nucleic Acids Res.* 14:7125-7128 (1986); Mancuso, D.J. et al., *Biochemistry* 30:253-269 (1989); Meyer, D. et al., *Throm Haemostasis* 70:99-104 (1993)), may be used to facilitate sequencing of the vWF

- 5 -

gene and genetic defects causing vWD, in other mammalian species e.g., by using cross-species PCR methods known by those skilled in the art.

It is also within the contemplation of this invention that the isolated and purified nucleic acid sequences of the present invention be incorporated into an appropriate recombinant expression vector, e.g., viral or plasmid, which is capable of transforming an appropriate host cell, either eukaryotic (e.g., mammalian) or prokaryotic (e.g., *E. coli*). Such DNA may involve alternate nucleic acid forms, such as cDNA, gDNA, and DNA prepared by partial or total chemical synthesis. The DNA may also be accompanied by additional regulatory elements, such as promoters, operators and regulators, which are necessary and/or may enhance the expression of the vWF gene product. In this way, cells may be induced to over-express the vWF gene, thereby generating desired amounts of the target vWF protein. It is further contemplated that the canine vWF polypeptide sequence of the present invention may be utilized to manufacture canine vWF using standard synthetic methods. One skilled in the art will also note that the defective protein encoded by the defective vWF gene of the present invention may also be of use in formulating a complementary diagnostic test for canine vWD that may provide further data in establishing the presence of the defective allele. Thus, production of the defective vWF polypeptide, either through expression in transformed host cells as described above for the active vWF polypeptide or through chemical synthesis, is also contemplated by the present invention.

The term "gene" as referred herein means a nucleic acid which encodes a protein product. The term "nucleic acid" refers to a linear array of nucleotides and nucleosides, such as genomic DNA, cDNA and DNA prepared by partial or total chemical synthesis from nucleotides. The term "encoding" means that the nucleic acid may be transcribed and translated into the desired polypeptide. "Polypeptide" refers to amino acid sequences which comprise both full-length proteins and fragments thereof. "Mutation" as referred to herein includes any alteration in a nucleic acid sequence including, but not limited to, deletions, substitutions and additions.

As referred to herein, the term "capable of hybridizing under high stringency conditions" means annealing a strand of DNA complementary to the DNA of interest under highly stringent conditions. Likewise, "capable of hybridizing under low stringency conditions" refers to annealing a strand of DNA complementary to the DNA of interest under low stringency conditions. In the present invention, hybridizing

- 6 -

under either high or low stringency conditions would involve hybridizing a nucleic acid sequence (e.g., the complementary sequence to SEQ ID NO: 1 or portion thereof), with a second target nucleic acid sequence. "High stringency conditions" for the annealing process may involve, for example, high temperature and/or low salt content, which disfavor hydrogen bonding contacts among mismatched base pairs. "Low stringency conditions" would involve lower temperature, and/or lower salt concentration than that of high stringency conditions. Such conditions allow for two DNA strands to anneal if substantial, though not near complete complementarity exists between the two strands, as is the case among DNA strands that code for the same protein but differ in sequence due to the degeneracy of the genetic code. Appropriate stringency conditions which promote DNA hybridization, for example, 6X SSC at about 45 °C, followed by a wash of 2X SSC at 50 °C are known to those skilled in the art or can be found in *Current Protocols in Molecular Biology*, John Wiley & Sons, NY (1989), 6.31-6.3.6. For example, the salt concentration in the wash step can be selected from a low stringency of about 2X SSC at 50 °C to a high stringency of about 0.2X SSC at 50 °C. In addition, the temperature in the wash step can be increased from low stringency at room temperature, about 22 °C, to high stringency conditions, at about 65 °C. Other stringency parameters are described in Maniatis, T., et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring NY, (1982), at pp. 387-389; see also Sambrook, J. et al., *Molecular Cloning: A Laboratory Manual*, Second Edition, Volume 2, Cold Spring Harbor Laboratory Press, Cold Spring, NY at pp. 8.46-8.47 (1989).

SPECIFIC EXAMPLE 1

Materials And Methods

Isolation of RNA. The source of the RNA was a uterus from a Scottish Terrier affected with vWD (factor level < 0.1% and a clinical bleeder), that was surgically removed because of infection. Spleen tissue was obtained from a Doberman Pinscher affected with vWD that died from dilated cardiomyopathy (factor level 7% and a clinical bleeder). Total RNA was extracted from the tissues using Trizol (Life Technologies, Gaithersburg, MD). The integrity of the RNA was assessed by agarose gel electrophoresis.

Design of PCR primer sets. Primers were designed to a few regions of the gene, where sequences from two species were available (Lavergne, J.M. et al., *Biochem Biophys Res Commun* 194:1019-1024 (1993); Bakhshi, M.R. et al., *Biochem Biophys Acta* 1132:325-328 (1992)). These primers were designed using

- 7 -

rules for cross-species' amplifications (Venta et al., "Genes-Specific Universal Mammalian Sequence-Tagged Sites: Application To The Canine Genome" *Biochem. Genet.* (1996) in press). Most of the primers had to be designed to other regions of the gene using the human sequence alone (Mancuso, D.J. et al., *Biochemistry* 5 30:253-269 (1991)). Good amplification conditions were determined by using human and canine genomic DNAs.

Reverse Transcriptase-PCR. Total RNA was reverse transcribed using random primers (Bergenheim, N.C.H. et al., *PNAS (USA)* 89:8789-8802 (1992)). The cDNA was amplified using the primer sets shown to work on canine genomic DNA.

10 **DNA Sequence Analysis.** Amplification products of the predicted sizes were isolated from agarose gels by adsorption onto silica gel particles using the manufacturer's method (Qiagen, Chatsworth, CA). Sequences were determined using ³²P-5' end-labeled primers and a cycle sequencing kit (United States Biochemical Corp., Cleveland, OH). The sequences of the 5' and 3' untranslated 15 regions were determined after amplification using Marathon™ RACE kits (Clontech, Palo Alto, CA). Sequences were aligned using the Eugene software analysis package (Lark Technologies, Houston, TX). The sequence of the canine intron four was determined from PCR-amplified genomic DNA.

Design of a Diagnostic Test. PCR mutagenesis was used to create 20 diagnostic and control *Bst*E I and *Sau*96 I restriction enzyme sites for the test. Amplification conditions for the test are: 94°C, 1 min, 61°C, 1 min, and 72°C, 1 min, for 50 cycles using cheek swab DNA (Richards, B. et al., *Human Molecular Genetics* 2:159-163 (1992)).

Population Survey. DNA was collected from 87 Scottish terriers from 16 25 pedigrees. DNA was isolated either from blood using standard procedures (Sambrook, J. et al., Cold Harbor Spring Lab, Cold Harbor Spring NY, 2nd Edition, (1989)) or by cheek swab samples (Richards, B. et al., *Human Molecular Genetics* 2:159-163 (1992)). The genetic status of each animal in the survey was determined using the *Bst*E I test described above.

30 Results

Comparison of the canine and human sequences. The alignment of the canine and human prepro-von Willebrand Factor amino acid sequences is shown in Figures 2A-2C. The location of the Scottish terrier vWD mutation is indicated by the "****". Potential N-glycosylation sites are shown in bold type. The known and 35 postulated integrin binding sites are boxed. Amino acid numbers are shown on the

- 8 -

right side of the figure. The human sequence is derived from Genbank accession number X04385 (Bonthron, D. et al., *Nucleic Acids Res.* 14:7125-7128 (1986)).

Overall, 85.1% sequence identity is seen between the prepro-vWF sequences. The pro-region is slightly less conserved than the mature protein (81.4% vs. 87.5%). There were no other noteworthy percentage sequence identity differences seen in other regions of the gene, or between the known repeats contained within the gene (data not shown). Fourteen potential N-linked glycosylation sites are present in the canine sequence, all of which correspond to similar sites contained within the human sequence. The two integrin binding sites identified in the human vWF protein sequence (Lankhof, H. et al., *Blood* 86:1035-1042 (1995)) are conserved in the canine sequence as well (Figures 2A-2C). The 5' and 3' untranslated regions have diverged to a greater extent than the coding region (data not shown), comparable to that found between the human and bovine sequences derived for the 5' flanking region (Janel, N. et al., *Gene* 167:291-295 (1995)). Additional insights into the structure and function of the von Willebrand factor can be gained by comparison of the complete human sequence (Mancuso, D.J. et al., *Biochemistry* 30:253-269 (1989); Meyer, D. et al., *Throm Haemostasis* 70:99-104 (1993)) and the complete canine sequence reported here.

The sequence for most of exon 28 was determined (Mancuso, D.J. et al., *Thromb Haemost* 69:980 (1993); Porter, C.A. et al., *Mol Phylogenet Evol* 5:89-101 (1996)). All three sequences are in complete agreement, although two silent variants have been found in other breeds (Table 1, exon 28). Partial sequences of exons 40 and 41 (cDNA nucleotide numbers 6923 to 7155, from the initiation codon) were also determined as part of the development of a polymorphic simple tandem repeat genetic marker (Shibuya, H. et al., *Anim Genet* 24:122 (1994)). There is a single nucleotide sequence difference between this sequence ("T") and the sequence of the present invention, ("C") at nucleotide position 6928.

Scottish Terrier vWD mutation. Figure 3 shows nucleotide sequencing ladders for the von Willebrand's Disease mutation region for normal (clear), carrier, and affected Scottish terriers. The sequences were obtained directly from PCR products derived from genomic DNAs in exon 4. The arrowheads show the location of the C nucleotide that is deleted in the disease-causing allele. Note that in the carrier ladder each base above the point of the mutation has a doublet appearance, as predicted for deletion mutations. The factor levels reported for these animals were: Normal, 54%; Carrier, 34%; Affected, <0.1%.

- 9 -

As a result of the deletion, a frameshift mutation at codon 88 leads to a new stop codon 103 bases downstream. The resulting severely truncated protein of 119 amino acids does not include any of the mature von Willebrand factor region. The identity of the base in the normal allele was determined from an unaffected dog.

- 5 **Development of a diagnostic test.** A PCR primer was designed to produce a *Bsi*E I site in the mutant allele but not in the normal allele (Figure 4). The position of the deleted nucleotide is indicated by an asterisk. The altered nucleotides in each primer are underlined. The normal and mutant allele can also be distinguished using *Sau*96 I. The naturally occurring *Sau*96 I sites are shown by double underlines.
- 10 The highly conserved donor and acceptor dinucleotide splice sequences are shown in bold type.

- In order to ensure that the restriction enzyme cut the amplified DNA to completion, an internal control restriction site common to both alleles was designed into the non-diagnostic primer. The test was verified by digestion of the DNA from
- 15 animals that were affected, obligate carriers, or normal (based on high factor levels [greater than 100% of normal] obtained from commonly used testing labs and reported to us by the owners, and also using breeds in which Type 3 vWD has not been observed). The expected results were obtained (e.g., Figure 5). Five vWD-affected animals from a colony founded from Scottish terriers (Brinkhous, K.M. et al.,
- 20 *Ann. New York Acad. Sci.* 370:191-203 (1981)) were also shown to be homozygous for this mutation. An additional unaffected animal from this same colony was found to be clear.

- It would still be possible to misinterpret the results of the test if restriction enzyme digestion was not complete, and if the rates of cleavage of the control and diagnostic sites were vastly different. The rates of cleavage of the two *Bsi*E I
- 25 sites were thus examined by partially digesting the PCR products and running them on capillary electrophoresis. The rates were found to be very nearly equal (the diagnostic site is cut 12% faster than the control site).

- The mutagenesis primer was also designed to produce a *Sau*96 I site into the normal allele but not the mutant allele. This is the reverse relationship compared to
- 30 the *Bsi*E I-dependent test, with respect to which allele is cut. Natural internal *Sau*96 I sites serve as digestion control sites (shown in Figure 4). The test using this enzyme produced identical genotypic results compared to the *Bsi*E I for all animals examined (data not shown).

- 10 -

A possible mutation in the Doberman Pinscher gene. The complete Scottish terrier sequence was compared to the complete Doberman Pinscher sequence. Several nucleotide differences were found and were compared to the nucleotides found in the same position in the human sequence as shown in Table 1 below. Most of these changes were silent. However, of three amino acid changes, one is relatively non-conservative (F905L) and is proposed to be the mutation that causes Doberman Pinscher vWD. Other data strongly suggest that the nucleotide interchange at the end of exon 43 causes a cryptic splice site to be activated reducing the amount of normally processed mRNA, with a concomitant decrease in the amount of vWF produced.

Mendelian inheritance. One test often used to verify the correct identification of a mutant allele is its inheritance according to Mendel's law of segregation. Three pedigrees were examined in which the normal and mutant alleles were segregating, as shown in Figure 5. Exon four of the vWF gene was PCR-amplified from genomic DNA. The PCR products were examined for the presence of the normal and mutant vWF alleles by agarose gel electrophoresis after digestion with *Bs/E* I (see Figure 5). The affected animals are homozygous for the mutant allele (229 bp; lanes 3 and 5). The other animals in this pedigree are heterozygotes (251 bp and 229 bp; lanes 1, 2, 4, and 6), including the obligate carrier parents.

- 11 -

Table 1 - Differences Between Scottie And Doberman Protein And Nucleotide von Willebrand Factor Sequences With Comparison To The Human Sequences

Exon	A.A. ¹	Amino Acid			Codon		
		Human	Scottie	Doberman	Human	Scottie	Doberman
5	5' UT ²	nuc - 35 ³	N/A ⁴	N/A	N/A	A	G
	4	85	S	S/F.Shift ⁵	TCC	TCC/TC_	TCC
	5	173	M	R	ATG	AGG	AAG
	11	422	S	T	TCC	ACA	ACC
	21	898	C	C	TGC	TGT	TGC
10	21	905	F	F	TTT	TTC	TTA
	24	1041	S	S	TCA	TCA	TCG
	24	1042	S	S	TCC	TCC	TCA
	28	1333	D	D	GAC	GAC	GAG
	28	1349	Y	Y	TAT	TAT	TAC*
15	42	2381	P	L	CCC	CTG	CCG
	43	2479	S	S	TCG	TCG	TCA
	45	2555	P	P	CCC	CCC	CCG
	47	2591	P	P	CCC	CCT	CCC
	49	2672	D	D	GAT	GAT	GAC
20	51	2744	E	E	GAG	GAG	GAA

¹Amino acid residue position²Untranslated region³Nucleotide position⁴Not Applicable25 ⁵Frameshift mutation

Boxed residues show amino acid differences between breeds

*This site has been shown to be polymorphic in some breeds

The mature VWF protein begins in exon 18

30 The alleles, as typed by both the *Bst*E I and *Sau*96 I tests, showed no inconsistencies with Mendelian inheritance. One of these pedigrees included two affected animals, two phenotypically normal siblings, and the obligate carrier parents. The two parents were found to be heterozygous by the test, the two affected animals were found to be homozygous for the mutant allele, and the normal siblings were found to be heterozygotes.

- 12 -

Population survey for the mutation. Cheek swabs or blood samples were collected from 87 animals in order to determine the incidence of carriers in the U.S. Scottish terrier population. Although we attempted to make the sample as random as possible, these dogs were found to come from 16 pedigrees, several of which are more distantly interconnected. This is due to some ascertainment bias, based on ownership (as opposed to phenotypic ascertainment bias). In these 87 animals four affected and 15 carrier animals were found.

Discussion

These results establish that the single base deletion found in exon four of the vWF gene causes vWD in the Scottish terrier breed. The protein produced from the mutant allele is extremely short and does not include any of the mature vWF protein. Four Scottish terriers known to be affected with the disease are homozygous for the mutation. Five other mixed-breed dogs descended from Scottish terriers, and affected with vWD, are also homozygous for the mutation. No normal animals are homozygous for the mutation. Unaffected obligate carriers are always heterozygous for the mutation.

The gene frequency, as determined from the population survey, appears to be around 0.13 resulting in a heterozygote frequency of about 23% and expected frequency of affected animals of about 2%. Although the sample size is relatively small and somewhat biased, these data are in general agreement with the protein-based surveys (Stokol, T. et al., *Res Vet Sci* 59:152-155 (1995); Brooks, M., *Probl In Vet Med* 4:636-646 (1992)), in that the allele frequency is substantial.

All data collected thus far indicate that this mutation accounts for essentially all of the von Willebrand's disease found in Scottish terriers. This result is consistent with the results found for other genetic diseases, defined at the molecular level, in various domestic animals (Shuster, D.E. et al., *PNAS (USA)* 89:9225-9229 (1992); Rudolph, J.A. et al., *Nat Genet* 2:144-147 (1992); O'Brien, P.J. et al., *JAVMA* 203:842-851 (1993)). A likely explanation may be found in the pronounced founder effect that occurs in domestic animals, compared to most human and wild animal populations.

Published data using the protein-based factor assays have shown that, at least in several instances, obligate carriers have had factor levels that would lead to a diagnosis of "clear" of the disease allele. For example, in one study an obligate carrier had a factor level of 78% (Johnson, G.S. et al., *JAVMA* 176:1261-1263 (1980)). In another study, at least some of the obligate carriers had factor levels of

- 13 -

65% or greater (Brinkhous, K.M. et al., *Ann. New York Acad. Sci.* 370:191-203 (1981)). In addition, the number of animals that fall into an equivocal range can be substantial. In one study, 19% of Scottish terriers fell in this range (50-65% of the normal vWF antigen level) (Stokol, T. et al., *Res Vet Sci* 59:152-155 (1995)). Thus, although the protein-based tests have been useful, the certainty of the DNA-based test described herein should relieve the necessity of repeated testing and the variability associated with the protein-based assays.

The mutation is present in the pre-vWF part of the molecule. This part of the molecule is processed off prior to delivery of the mature protein into the plasma. This pre-portion of the molecule is important for the assembly of the mature vWF protein (Verwiej, L. et al., *EBMO J* 6:2885-2890 (1987); Wise, R.J. et al., *Cell* 52:229-236 (1988)). With the Scottish terrier frameshift vWD mutation, neither this pre-portion nor any of the mature factor is ever produced, in keeping with the fact that no factor has ever been detected in the blood of affected dogs.

The determination of the complete canine vWF cDNA sequence will have an impact upon the development of carrier tests for other breeds and other species as well. Currently, Shetland sheepdogs and Dutch Kooikers are known to have a significant amount of Type 3 vWD (Brooks, M. et al., *JAVMA* 200:1123-1127 (1992); Slappendel, R.J., *Vet-Q* 17:S21-S22 (1995)). Type 3 vWD has occasionally been seen in other breeds as well (e.g., Johnson, G.S. et al., *JAVMA* 176:1261-1263 (1980)). All Type 3 vWD mutations described in humans to date have been found within the vWF gene itself. The availability of the canine sequence will make it easier to find the mutations in these breeds. In addition, at least some Type 1 mutations have been found within the human vWF gene, and thus Type 1 mutations may also be found within the vWF gene for breeds affected with that form of the disease. The availability of two divergent mammalian vWF cDNA sequences will also make it much easier to sequence the gene from other mammalian species using cross-species PCR methods (e.g., Venta et al., *Biochem. Genet.* (1996) in press).

The test described herein for the detection of the mutation in Scottish terriers may be performed on small amounts of DNA from any tissue. The tissues that are the least invasive to obtain are blood and buccal cells. For maximum convenience, a cheek swab as a source of DNA is preferred.

The foregoing discussion discloses and describes merely exemplary embodiments of the present invention. One skilled in the art will readily recognize from such discussion, and from the accompanying drawings, that various changes,

- 14 -

modifications and variations can be made therein without departing from the spirit and scope of the invention.

All patents and other publications cited herein are expressly incorporated by reference.

- 15 -

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Venta, Patrick J
Yuzbasiyan-Gurkan, Vilma
Schall, William D
Brewer, George J
- (ii) TITLE OF INVENTION: DNA ENCODING CANINE VON WILLEBRAND
FACTOR AND METHODS OF USE
- (iii) NUMBER OF SEQUENCES: 2
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Harness, Dickey & Pierce, P.L.C.
 - (B) STREET: 5445 Corporate Drive
 - (C) CITY: Troy
 - (D) STATE: Michigan
 - (E) COUNTRY: USA
 - (F) ZIP: 48098
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Smith, DeAnn F.
 - (C) REFERENCE/DOCKET NUMBER: 211501226PCA
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 248-641-1600
 - (B) TELEFAX: 248-641-0270
 - (C) TELEX: 287637

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8802 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 203..8641
 - (D) OTHER INFORMATION: /function= "Blood Clotting Protein"
/product= "Canine von Willebrand Factor"
/standard_name= "vWF"

- 16 -

(x) PUBLICATION INFORMATION:

- (A) AUTHORS: Venta, Patrick J.
Li, Jianping
Yuzbasiyan-Gurkan, Vilma
Schall, William D.
Brewer, George J.
- (B) TITLE: Von Willebrand's Disease in the Scottish
Terrier is Caused by a Single Base Deletion in
Exon Four of the von Willebrand Factor Gene
- (C) JOURNAL: Journal of the American Veterinary Medicine Association
- (G) DATE: 1996
- (K) RELEVANT RESIDUES IN SEQ ID NO:1: FROM 1 TO 8802

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CATTAAAAGG TCCTGGCTGG GAGCTTTTTT TTGGGACCAG CACTCCATGT TCAAGGGCAA	60
ACAGGGGCCA ATTAGGATCA ATCTTTTTTC TTTCTTTTTT TAAAAAATAA AATTCTTCCC	120
ACTTTGCACA CGACAGTAG TACATACCAG TAGCTCTCTG CGAGGACGGT GATCACTAAT	180
CATTTCTCCT GCTTCGTGGC AG ATG AGT CCT ACC AGA CTT GTG AGG GTG CTG	232
Met Ser Pro Thr Arg Leu Val Arg Val Leu	
1 5 10	
CTG GCT CTG GCC CTC ATC TTG CCA GGG AAA CTT TGT ACA AAA GGG ACT	280
Leu Ala Leu Ala Leu Ile Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr	
15 20 25	
GTT GGA AGG TCA TCG ATG GCC CGA TGT AGC CTT CTC GGA GGT GAC TTC	328
Val Gly Arg Ser Ser Met Ala Arg Cys Ser Leu Leu Gly Gly Asp Phe	
30 35 40	
ATC AAC ACC TTT GAT GAG AGC ATG TAC AGC TTT GCG GGA GAT TGC AGT	376
Ile Asn Thr Phe Asp Glu Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser	
45 50 55	
TAC CTC CTG GCT GGG GAC TGC CAG GAA CAC TCC ATC TCA CTT ATC GGG	424
Tyr Leu Leu Ala Gly Asp Cys Gln Glu His Ser Ile Ser Leu Ile Gly	
60 65 70	
GGT TTC CAA AAT GAC AAA AGA GTG AGC CTC TCC GTG TAT CTC GGA GAA	472
Gly Phe Gln Asn Asp Lys Arg Val Ser Leu Ser Val Tyr Leu Gly Glu	
75 80 85 90	
TTT TTC GAC ATT CAT TTG TTT GTC AAT GGT ACC ATG CTG CAG GGG ACC	520
Phe Phe Asp Ile His Leu Phe Val Asn Gly Thr Met Leu Gln Gly Thr	
95 100 105	
CAA AGC ATC TCC ATG CCC TAC GCC TCC AAT GGG CTG TAT CTA GAG GCC	568
Gln Ser Ile Ser Met Pro Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala	
110 115 120	
GAG GCT GGC TAC TAC AAG CTG TCC AGT GAG GCC TAC GGC TTT GTG GCC	616
Glu Ala Gly Tyr Tyr Lys Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala	
125 130 135	
AGA ATT GAT GGC AAT GGC AAC TTT CAA GTC CTG CTG TCA GAC AGA TAC	664
Arg Ile Asp Gly Asn Gly Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr	
140 145 150	
TTC AAC AAG ACC TGT GGG CTG TGT GGC AAC TTT AAT ATC TTT GCT GAG	712
Phe Asn Lys Thr Cys Gly Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu	
155 160 165 170	

- 17 -

GAT GAC TTC AAG ACT CAA GAA GGG ACG TTG ACT TCG GAC CCC TAT GAC Asp Asp Phe Lys Thr Gln Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp 175 180 185	760
TTT GCC AAC TCC TGG GCC CTG AGC AGT GGG GAA CAA CGG TGC AAA CGG Phe Ala Asn Ser Trp Ala Leu Ser Ser Gly Glu Gln Arg Cys Lys Arg 190 195 200	808
GTG TCC CCT CCC AGC AGC CCA TGC AAT GTC TCC TCT GAT GAA GTG CAG Val Ser Pro Pro Ser Ser Pro Cys Asn Val Ser Ser Asp Glu Val Gln 205 210 215	856
CAG GTC CTG TGG GAG CAG TGC CAG CTC CTG AAG AGT GCC TCG GTG TTT Gln Val Leu Trp Glu Gln Cys Gln Leu Leu Lys Ser Ala Ser Val Phe 220 225 230	904
GCC CGC TGC CAC CCG CTG GTG GAC CCT GAG CCT TTT GTC GCC CTG TGT Ala Arg Cys His Pro Leu Val Asp Pro Glu Pro Phe Val Ala Leu Cys 235 240 245 250	952
GAA AGG ACT CTG TGC ACC TGT GTC CAG GGG ATG GAG TGC CCT TGT GCG Glu Arg Thr Leu Cys Thr Cys Val Gln Gly Met Glu Cys Pro Cys Ala 255 260 265	1000
GTC CTC CTG GAG TAC GCC CGG GCC TGT GCC CAG CAG GGG ATT GTC TTG Val Leu Leu Glu Tyr Ala Arg Ala Cys Ala Gln Gln Gly Ile Val Leu 270 275 280	1048
TAC GGC TGG ACC GAC CAC AGC GTC TGC CGA CCA GCA TGC CCT GCT GGC Tyr Gly Trp Thr Asp His Ser Val Cys Arg Pro Ala Cys Pro Ala Gly 285 290 295	1096
ATG GAG TAC AAG GAG TGC GTG TCC CCT TGC ACC AGA ACT TGC CAG AGC Met Glu Tyr Lys Glu Cys Val Ser Pro Cys Thr Arg Thr Cys Gln Ser 300 305 310	1144
CTT CAT GTC AAA GAA GTG TGT CAG GAG CAA TGT GTA GAT GGC TGC AGC Leu His Val Lys Glu Val Cys Gln Glu Gln Cys Val Asp Gly Cys Ser 315 320 325 330	1192
TGC CCC GAG GGC CAG CTC CTG GAT GAA GGC CAC TGC GTG GGA AGT GCT Cys Pro Glu Gly Gln Leu Leu Asp Glu Gly His Cys Val Gly Ser Ala 335 340 345	1240
GAG TGT TCC TGT GTG CAT GCT GGG CAA CGG TAC CCT CCG GGC GCC TCC Glu Cys Ser Cys Val His Ala Gly Gln Arg Tyr Pro Pro Gly Ala Ser 350 355 360	1288
CTC TTA CAG GAC TGC CAC ACC TGC ATT TGC CGA AAT AGC CTG TGG ATC Leu Leu Gln Asp Cys His Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile 365 370 375	1336
TGC AGC AAT GAA GAA TGC CCA GGC GAG TGT CTG GTC ACA GGA CAG TCC Cys Ser Asn Glu Glu Cys Pro Gly Glu Cys Leu Val Thr Gly Gln Ser 380 385 390	1384
CAC TTC AAG AGC TTC GAC AAC AGG TAC TTC ACC TTC AGT GGG GTC TGC His Phe Lys Ser Phe Asp Asn Arg Tyr Phe Thr Phe Ser Gly Val Cys 395 400 405 410	1432
CAC TAC CTG CTG GCC CAG GAC TGC CAG GAC CAC ACA TTC TCT GTT GTC His Tyr Leu Leu Ala Gln Asp Cys Gln Asp His Thr Phe Ser Val Val 415 420 425	1480
ATA GAG ACT GTC CAG TGT GCC GAT GAC CTG GAT GCT GTC TGC ACC CGC Ile Glu Thr Val Gln Cys Ala Asp Asp Leu Asp Ala Val Cys Thr Arg 430 435 440	1528

- 18 -

TCG	GTC	ACC	GTC	CGC	CTG	CCT	GGA	CAT	CAC	AAC	AGC	CTT	GTG	AAG	CTG	1576
Ser	Val	Thr	Val	Arg	Leu	Pro	Gly	His	His	Asn	Ser	Leu	Val	Lys	Leu	
		445					450					455				
AAG	AAT	GGG	GGA	GGA	GTC	TCC	ATG	GAT	GGC	CAG	GAT	ATC	CAG	ATT	CCT	1624
Lys	Asn	Gly	Gly	Gly	Val	Ser	Met	Asp	Gly	Gln	Asp	Ile	Gln	Ile	Pro	
		460					465				470					
CTC	CTG	CAA	GGT	GAC	CTC	CGC	ATC	CAG	CAC	ACC	GTG	ATG	GCC	TCC	GTG	1672
Leu	Leu	Gln	Gly	Asp	Leu	Arg	Ile	Gln	His	Thr	Val	Met	Ala	Ser	Val	
					480					485					490	
CGC	CTC	AGC	TAC	GGG	GAG	GAC	CTG	CAG	ATG	GAT	TCG	GAC	GTC	CGG	GGC	1720
Arg	Leu	Ser	Tyr	Gly	Glu	Asp	Leu	Gln	Met	Asp	Ser	Asp	Val	Arg	Gly	
				495					500					505		
AGG	CTA	CTG	GTG	ACG	CTG	TAC	CCC	GCC	TAC	GCG	GGG	AAG	ACG	TGC	GGC	1768
Arg	Leu	Leu	Val	Thr	Leu	Tyr	Pro	Ala	Tyr	Ala	Gly	Lys	Thr	Cys	Gly	
			510					515					520			
CGT	GGC	GGG	AAC	TAC	AAC	GGC	AAC	CGG	GGG	GAC	GAC	TTC	GTG	ACG	CCC	1816
Arg	Gly	Gly	Asn	Tyr	Asn	Gly	Asn	Arg	Gly	Asp	Asp	Phe	Val	Thr	Pro	
		525					530					535				
GCA	GGC	CTG	GCG	GAG	CCC	CTG	GTG	GAG	GAC	TTC	GGG	AAC	GCC	TGG	AAG	1864
Ala	Gly	Leu	Ala	Glu	Pro	Leu	Val	Glu	Asp	Phe	Gly	Asn	Ala	Trp	Lys	
		540				545					550					
CTG	CTC	GGG	GCC	TGC	GAG	AAC	CTG	CAG	AAG	CAG	CAC	CGC	GAT	CCC	TGC	1912
Leu	Leu	Gly	Ala	Cys	Glu	Asn	Leu	Gln	Lys	Gln	His	Arg	Asp	Pro	Cys	
		555			560					565				570		
AGC	CTC	AAC	CCG	CGC	CAG	GCC	AGG	TTT	GCG	GAG	GAG	GCG	TGC	GCG	CTG	1960
Ser	Leu	Asn	Pro	Arg	Gln	Ala	Arg	Phe	Ala	Glu	Glu	Ala	Cys	Ala	Leu	
				575					580					585		
CTG	ACG	TCC	TCG	AAG	TTC	GAG	CCC	TGC	CAC	CGA	GCG	GTG	GGT	CCT	CAG	2008
Leu	Thr	Ser	Ser	Lys	Phe	Glu	Pro	Cys	His	Arg	Ala	Val	Gly	Pro	Gln	
				590				595					600			
CCC	TAC	GTG	CAG	AAC	TGC	CTC	TAC	GAC	GTC	TGC	TCC	TGC	TCC	GAC	GGC	2056
Pro	Tyr	Val	Gln	Asn	Cys	Leu	Tyr	Asp	Val	Cys	Ser	Cys	Ser	Asp	Gly	
		605					610					615				
AGA	GAC	TGT	CTT	TGC	AGC	GCC	GTG	GCC	AAC	TAC	GCC	GCA	GCC	GTG	GCC	2104
Arg	Asp	Cys	Leu	Cys	Ser	Ala	Val	Ala	Asn	Tyr	Ala	Ala	Ala	Val	Ala	
		620				625					630					
CGG	AGG	GGC	GTG	CAC	ATC	GCG	TGG	CGG	GAG	CCG	GGC	TTC	TGT	GCG	CTG	2152
Arg	Arg	Gly	Val	His	Ile	Ala	Trp	Arg	Glu	Pro	Gly	Phe	Cys	Ala	Leu	
		635			640					645				650		
AGC	TGC	CCC	CAG	GGC	CAG	GTG	TAC	CTG	CAG	TGT	GGG	ACC	CCC	TGC	AAC	2200
Ser	Cys	Pro	Gln	Gly	Gln	Val	Tyr	Leu	Gln	Cys	Gly	Thr	Pro	Cys	Asn	
				655					660					665		
ATG	ACC	TGT	CTC	TCC	CTC	TCT	TAC	CCG	GAG	GAG	GAC	TGC	AAT	GAG	GTC	2248
Met	Thr	Cys	Leu	Ser	Leu	Ser	Tyr	Pro	Glu	Glu	Asp	Cys	Asn	Glu	Val	
			670					675					680			
TGC	TTG	GAA	AGC	TGC	TTC	TCC	CCC	CCA	GGG	CTG	TAC	CTG	GAT	GAG	AGG	2296
Cys	Leu	Glu	Ser	Cys	Phe	Ser	Pro	Pro	Gly	Leu	Tyr	Leu	Asp	Glu	Arg	
		685					690					695				
GGA	GAT	TGT	GTG	CCC	AAG	GCT	CAG	TGT	CCC	TGT	TAC	TAT	GAT	GGT	GAG	2344
Gly	Asp	Cys	Val	Pro	Lys	Ala	Gln	Cys	Pro	Cys	Tyr	Tyr	Asp	Gly	Glu	
		700				705						710				

- 19 -

ATC	TTT	CAG	CCC	GAA	GAC	ATC	TTC	TCA	GAC	CAT	CAC	ACC	ATG	TGC	TAC	2392
Ile	Phe	Gln	Pro	Glu	Asp	Ile	Phe	Ser	Asp	His	His	Thr	Met	Cys	Tyr	
715					720					725					730	
TGT	GAG	GAT	GGC	TTC	ATG	CAC	TGT	ACC	ACA	AGT	GGA	GGC	CTG	GGA	AGC	2440
Cys	Glu	Asp	Gly	Phe	Met	His	Cys	Thr	Thr	Ser	Gly	Gly	Leu	Gly	Ser	
				735					740						745	
CTG	CTG	CCC	AAC	CCG	GTG	CTC	AGC	AGC	CCC	CGG	TGT	CAC	CGC	AGC	AAA	2488
Leu	Leu	Pro	Asn	Pro	Val	Leu	Ser	Ser	Pro	Arg	Cys	His	Arg	Ser	Lys	
			750						755						760	
AGG	AGC	CTG	TCC	TGT	CGG	CCC	CCC	ATG	GTC	AAG	TTG	GTG	TGT	CCC	GCT	2536
Arg	Ser	Leu	Ser	Cys	Arg	Pro	Pro	Met	Val	Lys	Leu	Val	Cys	Pro	Ala	
			765					770							775	
GAT	AAC	CCG	AGG	GCT	GAA	GGA	CTG	GAG	TGT	GCC	AAA	ACC	TGC	CAG	AAC	2584
Asp	Asn	Pro	Arg	Ala	Glu	Gly	Leu	Glu	Cys	Ala	Lys	Thr	Cys	Gln	Asn	
	780					785					790					
TAT	GAC	CTG	CAG	TGC	ATG	AGC	ACA	GGC	TGT	GTC	TCC	GGC	TGC	CTC	TGC	2632
Tyr	Asp	Leu	Gln	Cys	Met	Ser	Thr	Gly	Cys	Val	Ser	Gly	Cys	Leu	Cys	
	795				800					805					810	
CCG	CAG	GGC	ATG	GTC	CGG	CAT	GAA	AAC	AGG	TGT	GTG	GCG	CTG	GAA	AGA	2680
Pro	Gln	Gly	Met	Val	Arg	His	Glu	Asn	Arg	Cys	Val	Ala	Leu	Glu	Arg	
				815					820						825	
TGT	CCC	TGC	TTC	CAC	CAA	GGC	CAA	GAG	TAC	GCC	CCA	GGA	GAA	ACC	GTG	2728
Cys	Pro	Cys	Phe	His	Gln	Gly	Gln	Glu	Tyr	Ala	Pro	Gly	Glu	Thr	Val	
			830					835							840	
AAA	ATT	GAC	TGC	AAC	ACT	TGT	GTC	TGT	CGG	GAC	CGG	AAG	TGG	ACC	TGC	2776
Lys	Ile	Asp	Cys	Asn	Thr	Cys	Val	Cys	Arg	Asp	Arg	Lys	Trp	Thr	Cys	
		845					850					855				
ACA	GAC	CAT	GTG	TGT	GAT	GCC	ACT	TGC	TCT	GCC	ATC	GGC	ATG	GCG	CAC	2824
Thr	Asp	His	Val	Cys	Asp	Ala	Thr	Cys	Ser	Ala	Ile	Gly	Met	Ala	His	
	860					865					870					
TAC	CTC	ACC	TTC	GAC	GGA	CTC	AAG	TAC	CTG	TTC	CCT	GGG	GAG	TGC	CAG	2872
Tyr	Leu	Thr	Phe	Asp	Gly	Leu	Lys	Tyr	Leu	Phe	Pro	Gly	Glu	Cys	Gln	
	875				880					885					890	
TAT	GTT	CTG	GTG	CAG	GAT	TAC	TGC	GGC	AGT	AAC	CCT	GGG	ACC	TTA	CGG	2920
Tyr	Val	Leu	Val	Gln	Asp	Tyr	Cys	Gly	Ser	Asn	Pro	Gly	Thr	Leu	Arg	
				895				900							905	
ATC	CTG	GTG	GGG	AAC	GAG	GGG	TGC	AGC	TAC	CCC	TCA	GTG	AAA	TGC	AAG	2968
Ile	Leu	Val	Gly	Asn	Glu	Gly	Cys	Ser	Tyr	Pro	Ser	Val	Lys	Cys	Lys	
			910					915							920	
AAG	CGG	GTC	ACC	ATC	CTG	GTG	GAA	GGA	GGA	GAG	ATT	GAA	CTG	TTT	GAT	3016
Lys	Arg	Val	Thr	Ile	Leu	Val	Glu	Gly	Gly	Glu	Ile	Glu	Leu	Phe	Asp	
		925					930					935				
GGG	GAG	GTG	AAT	GTG	AAG	AAA	CCC	ATG	AAG	GAT	GAG	ACT	CAC	TTT	GAG	3064
Gly	Glu	Val	Asn	Val	Lys	Lys	Pro	Met	Lys	Asp	Glu	Thr	His	Phe	Glu	
	940					945					950					
GTG	GTA	GAG	TCT	GGT	CAG	TAC	GTC	ATT	CTG	CTG	CTG	GGC	AAG	GCA	CTC	3112
Val	Val	Glu	Ser	Gly	Gln	Tyr	Val	Ile	Leu	Leu	Leu	Gly	Lys	Ala	Leu	
	955				960					965					970	
TCT	GTG	GTC	TGG	GAC	CAC	CGC	CTG	AGC	ATC	TCT	GTG	ACC	CTG	AAG	CGG	3160
Ser	Val	Val	Trp	Asp	His	Arg	Leu	Ser	Ile	Ser	Val	Thr	Leu	Lys	Arg	
				975					980						985	

- 20 -

ACA TAC CAG GAG CAG GTG TGT GGC CTG TGT GGG AAT TTT GAT GGC ATC Thr Tyr Gln Glu Gln Val Cys Gly Leu Cys Gly Asn Phe Asp Gly Ile 990 995 1000	3208
CAG AAC AAT GAT TTC ACC AGC AGC AGC CTC CAA ATA GAA GAA GAC CCT Gln Asn Asn Asp Phe Thr Ser Ser Ser Leu Gln Ile Glu Glu Asp Pro 1005 1010 1015	3256
GTG GAC TTT GGG AAT TCC TGG AAA GTG AAC CCG CAG TGT GCC GAC ACC Val Asp Phe Gly Asn Ser Trp Lys Val Asn Pro Gln Cys Ala Asp Thr 1020 1025 1030	3304
AAG AAA GTA CCA CTG GAC TCA TCC CCT GCC GTC TGC CAC AAC AAC ATC Lys Lys Val Pro Leu Asp Ser Ser Pro Ala Val Cys His Asn Asn Ile 1035 1040 1045 1050	3352
ATG AAG CAG ACG ATG GTG GAT TCC TCC TGC AGG ATC CTC ACC AGT GAT Met Lys Gln Thr Met Val Asp Ser Ser Cys Arg Ile Leu Thr Ser Asp 1055 1060 1065	3400
ATT TTC CAG GAC TGC AAC AGG CTG GTG GAC CCT GAG CCA TTC CTG GAC Ile Phe Gln Asp Cys Asn Arg Leu Val Asp Pro Glu Pro Phe Leu Asp 1070 1075 1080	3448
ATT TGC ATC TAC GAC ACT TGC TCC TGT GAG TCC ATT GGG GAC TGC ACC Ile Cys Ile Tyr Asp Thr Cys Ser Cys Glu Ser Ile Gly Asp Cys Thr 1085 1090 1095	3496
TGC TTC TGT GAC ACC ATT GCT GCT TAC GCC CAC GTC TGT GCC CAG CAT Cys Phe Cys Asp Thr Ile Ala Ala Tyr Ala His Val Cys Ala Gln His 1100 1105 1110	3544
GGC AAG GTG GTA GCC TGG AGG ACA GCC ACA TTC TGT CCC CAG AAT TGC Gly Lys Val Val Ala Trp Arg Thr Ala Thr Phe Cys Pro Gln Asn Cys 1115 1120 1125 1130	3592
GAG GAG CGG AAT CTC CAC GAG AAT GGG TAT GAG TGT GAG TGG CGC TAT Glu Glu Arg Asn Leu His Glu Asn Gly Tyr Glu Cys Glu Trp Arg Tyr 1135 1140 1145	3640
AAC AGC TGT GCC CCT GCC TGT CCC ATC ACG TGC CAG CAC CCC GAG CCA Asn Ser Cys Ala Pro Ala Cys Pro Ile Thr Cys Gln His Pro Glu Pro 1150 1155 1160	3688
CTG GCA TGC CCT GTA CAG TGT GTT GAA GGT TGC CAT GCG CAC TGC CCT Leu Ala Cys Pro Val Gln Cys Val Glu Gly Cys His Ala His Cys Pro 1165 1170 1175	3736
CCA GGG AAA ATC CTG GAT GAG CTT TTG CAG ACC TGC ATC GAC CCT GAA Pro Gly Lys Ile Leu Asp Glu Leu Leu Gln Thr Cys Ile Asp Pro Glu 1180 1185 1190	3784
GAC TGT CCT GTG TGT GAG GTG GCT GGT CGT CGC TTG GCC CCA GGA AAG Asp Cys Pro Val Cys Glu Val Ala Gly Arg Arg Leu Ala Pro Gly Lys 1195 1200 1205 1210	3832
AAA ATC ATC TTG AAC CCC AGT GAC CCT GAG CAC TGC CAA ATT TGT AAT Lys Ile Ile Leu Asn Pro Ser Asp Pro Glu His Cys Gln Ile Cys Asn 1215 1220 1225	3880
TGT GAT GGT GTC AAC TTC ACC TGT AAG GCC TGC AGA GAA CCC GGA AGT Cys Asp Gly Val Asn Phe Thr Cys Lys Ala Cys Arg Glu Pro Gly Ser 1230 1235 1240	3928
GTT GTG GTG CCC CCC ACA GAT GGC CCC ATT GGC TCT ACC ACC TCG TAT Val Val Val Pro Pro Thr Asp Gly Pro Ile Gly Ser Thr Thr Ser Tyr 1245 1250 1255	3976

- 21 -

GTG GAG GAC ACG TCG GAG CCG CCC CTC CAT GAC TTC CAC TGC AGC AGG Val Glu Asp Thr Ser Glu Pro Pro Leu His Asp Phe His Cys Ser Arg 1260 1265 1270	4024
CTT CTG GAC CTG GTT TTC CTG CTG GAT GGC TCC TCC AAG CTG TCT GAG Leu Leu Asp Leu Val Phe Leu Leu Asp Gly Ser Ser Lys Leu Ser Glu 1275 1280 1285 1290	4072
GAC GAG TTT GAA GTG CTG AAG GTC TTT GTG GTG GGT ATG ATG GAG CAT Asp Glu Phe Glu Val Leu Lys Val Phe Val Val Gly Met Met Glu His 1295 1300 1305	4120
CTG CAC ATC TCC CAG AAG CGG ATC CGC GTG GCT GTG GTG GAG TAC CAC Leu His Ile Ser Gln Lys Arg Ile Arg Val Ala Val Val Glu Tyr His 1310 1315 1320	4168
GAC GGC TCC CAC GCC TAC ATC GAG CTC AAG GAC CGG AAG CGA CCC TCA Asp Gly Ser His Ala Tyr Ile Glu Leu Lys Asp Arg Lys Arg Pro Ser 1325 1330 1335	4216
GAG CTG CGG CGC ATC ACC AGC CAG GTG AAG TAC GCG GGC AGC GAG GTG Glu Leu Arg Arg Ile Thr Ser Gln Val Lys Tyr Ala Gly Ser Glu Val 1340 1345 1350	4264
GCC TCC ACC AGT GAG GTC TTA AAG TAC ACG CTG TTC CAG ATC TTT GGC Ala Ser Thr Ser Glu Val Leu Lys Tyr Thr Leu Phe Gln Ile Phe Gly 1355 1360 1365 1370	4312
AAG ATC GAC CGC CCG GAA GCG TCT CGC ATT GCC CTG CTC CTG ATG GCC Lys Ile Asp Arg Pro Glu Ala Ser Arg Ile Ala Leu Leu Leu Met Ala 1375 1380 1385	4360
AGC CAG GAG CCC TCA AGG CTG GCC CGG AAT TTG GTC CGC TAT GTG CAG Ser Gln Glu Pro Ser Arg Leu Ala Arg Asn Leu Val Arg Tyr Val Gln 1390 1395 1400	4408
GGC CTG AAG AAG AAG AAA GTC ATT GTC ATC CCT GTG GGC ATC GGG CCC Gly Leu Lys Lys Lys Lys Val Ile Val Ile Pro Val Gly Ile Gly Pro 1405 1410 1415	4456
CAC GCC AGC CTT AAG CAG ATC CAC CTC ATA GAG AAG CAG GCC CCT GAG His Ala Ser Leu Lys Gln Ile His Leu Ile Glu Lys Gln Ala Pro Glu 1420 1425 1430	4504
AAC AAG GCC TTT GTG TTC AGT GGT GTG GAT GAG TTG GAG CAG CGA AGG Asn Lys Ala Phe Val Phe Ser Gly Val Asp Glu Leu Glu Gln Arg Arg 1435 1440 1445 1450	4552
GAT GAG ATT ATC AAC TAC CTC TGT GAC CTT GCC CCC GAA GCA CCT GCC Asp Glu Ile Ile Asn Tyr Leu Cys Asp Leu Ala Pro Glu Ala Pro Ala 1455 1460 1465	4600
CCT ACT CAG CAC CCC CCA ATG GCC CAG GTC ACG GTG GGT TCG GAG CTG Pro Thr Gln His Pro Pro Met Ala Gln Val Thr Val Gly Ser Glu Leu 1470 1475 1480	4648
TTG GGG GTT TCA TCT CCA GGA CCC AAA AGG AAC TCC ATG GTC CTG GAT Leu Gly Val Ser Ser Pro Gly Pro Lys Arg Asn Ser Met Val Leu Asp 1485 1490 1495	4696
GTG GTG TTT GTC CTG GAA GGG TCA GAC AAA ATT GGT GAG GCC AAC TTT Val Val Phe Val Leu Glu Gly Ser Asp Lys Ile Gly Glu Ala Asn Phe 1500 1505 1510	4744
AAC AAA AGC AGG GAG TTC ATG GAG GAG GTG ATT CAG CGG ATG GAC GTG Asn Lys Ser Arg Glu Phe Met Glu Glu Val Ile Gln Arg Met Asp Val 1515 1520 1525 1530	4792

- 22 -

GGC CAG GAC AGG ATC CAC GTC ACA GTG CTG CAG TAC TCG TAC ATG GTG Gly Gln Asp Arg Ile His Val Thr Val Leu Gln Tyr Ser Tyr Met Val 1535 1540 1545	4840
ACC GTG GAG TAC ACC TTC AGC GAG GCG CAG TCC AAG GGC GAG GTC CTA Thr Val Glu Tyr Thr Phe Ser Glu Ala Gln Ser Lys Gly Glu Val Leu 1550 1555 1560	4888
CAG CAG GTG CGG GAT ATC CGA TAC CGG GGT GGC AAC AGG ACC AAC ACT Gln Gln Val Arg Asp Ile Arg Tyr Arg Gly Gly Asn Arg Thr Asn Thr 1565 1570 1575	4936
GGA CTG GCC CTG CAA TAC CTG TCC GAA CAC AGC TTC TCG GTC AGC CAG Gly Leu Ala Leu Gln Tyr Leu Ser Glu His Ser Phe Ser Val Ser Gln 1580 1585 1590	4984
GGG GAC CGG GAG CAG GTA CCT AAC CTG GTC TAC ATG GTC ACA GGA AAC Gly Asp Arg Glu Gln Val Pro Asn Leu Val Tyr Met Val Thr Gly Asn 1595 1600 1605 1610	5032
CCC GCT TCT GAT GAG ATC AAG CGG ATG CCT GGA GAC ATC CAG GTG GTG Pro Ala Ser Asp Glu Ile Lys Arg Met Pro Gly Asp Ile Gln Val Val 1615 1620 1625	5080
CCC ATC GGG GTG GGT CCA CAT GCC AAT GTG CAG GAG CTG GAG AAG ATT Pro Ile Gly Val Gly Pro His Ala Asn Val Gln Glu Leu Lys Ile 1630 1635 1640	5128
GGC TGG CCC AAT GCC CCC ATC CTC ATC CAT GAC TTT GAG ATG CTC CCT Gly Trp Pro Asn Ala Pro Ile Leu Ile His Asp Phe Glu Met Leu Pro 1645 1650 1655	5176
CGA GAG GCT CCT GAT CTG GTG CTA CAG AGG TGC TGC TCT GGA GAG GGG Arg Glu Ala Pro Asp Leu Val Leu Gln Arg Cys Cys Ser Gly Glu Gly 1660 1665 1670	5224
CTG CAG ATC CCC ACC CTC TCC CCC ACC CCA GAT TGC AGC CAG CCC CTG Leu Gln Ile Pro Thr Leu Ser Pro Thr Pro Asp Cys Ser Gln Pro Leu 1675 1680 1685 1690	5272
GAT GTG GTC CTC CTC CTG GAT GGC TCT TCC AGC ATT CCA GCT TCT TAC Asp Val Val Leu Leu Leu Asp Gly Ser Ser Ser Ile Pro Ala Ser Tyr 1695 1700 1705	5320
TTT GAT GAA ATG AAG AGC TTC ACC AAG GCT TTT ATT TCA AGA GCT AAT Phe Asp Glu Met Lys Ser Phe Thr Lys Ala Phe Ile Ser Arg Ala Asn 1710 1715 1720	5368
ATA GGG CCC CGG CTC ACT CAA GTG TCG GTG CTG CAA TAT GGA AGC ATC Ile Gly Pro Arg Leu Thr Gln Val Ser Val Leu Gln Tyr Gly Ser Ile 1725 1730 1735	5416
ACC ACT ATC GAT GTG CCT TGG AAT GTA GCC TAT GAG AAA GTC CAT TTA Thr Thr Ile Asp Val Pro Trp Asn Val Ala Tyr Glu Lys Val His Leu 1740 1745 1750	5464
CTG AGC CTT GTG GAC CTC ATG CAG CAG GAG GGA GGC CCC AGC GAA ATT Leu Ser Leu Val Asp Leu Met Gln Gln Glu Gly Gly Pro Ser Glu Ile 1755 1760 1765 1770	5512
GGG GAT GCT TTG AGC TTT GCC GTG CGA TAT GTC ACC TCA GAA GTC CAT Gly Asp Ala Leu Ser Phe Ala Val Arg Tyr Val Thr Ser Glu Val His 1775 1780 1785	5560
GGT GCC AGG CCC GGA GCC TCG AAA GCG GTG GTT ATC CTA GTC ACA GAT Gly Ala Arg Pro Gly Ala Ser Lys Ala Val Val Ile Leu Val Thr Asp 1790 1795 1800	5608

- 23 -

GTC	TCC	GTG	GAT	TCA	GTG	GAT	GCT	GCA	GCC	GAG	GCC	GCC	AGA	TCC	AAC	5656
Val	Ser	Val	Asp	Ser	Val	Asp	Ala	Ala	Ala	Glu	Ala	Ala	Arg	Ser	Asn	
		1805					1810						1815			
CGA	GTG	ACA	GTG	TTC	CCC	ATT	GGA	ATC	GGG	GAT	CGG	TAC	AGT	GAG	GCC	5704
Arg	Val	Thr	Val	Phe	Pro	Ile	Gly	Ile	Gly	Asp	Arg	Tyr	Ser	Glu	Ala	
	1820					1825					1830					
CAG	CTG	AGC	AGC	TTG	GCA	GGC	CCA	AAG	GCT	GGC	TCC	AAT	ATG	GTA	AGG	5752
Gln	Leu	Ser	Ser	Leu	Ala	Gly	Pro	Lys	Ala	Gly	Ser	Asn	Met	Val	Arg	
	1835				1840					1845					1850	
CTC	CAG	CGA	ATT	GAA	GAC	CTC	CCC	ACC	GTG	GCC	ACC	CTG	GGA	AAT	TCC	5800
Leu	Gln	Arg	Ile	Glu	Asp	Leu	Pro	Thr	Val	Ala	Thr	Leu	Gly	Asn	Ser	
				1855					1860					1865		
TTC	TTC	CAC	AAG	CTG	TGC	TCT	GGG	TTT	GAT	AGA	GTT	TGC	GTG	GAT	GAG	5848
Phe	Phe	His	Lys	Leu	Cys	Ser	Gly	Phe	Asp	Arg	Val	Cys	Val	Asp	Glu	
			1870				1875						1880			
GAT	GGG	AAT	GAG	AAG	AGG	CCC	GGG	GAT	GTC	TGG	ACC	TTG	CCA	GAC	CAG	5896
Asp	Gly	Asn	Glu	Lys	Arg	Pro	Gly	Asp	Val	Trp	Thr	Leu	Pro	Asp	Gln	
	1885						1890					1895				
TGC	CAC	ACA	GTG	ACT	TGC	CTG	CCA	GAT	GGC	CAG	ACC	TTG	CTG	AAG	AGT	5944
Cys	His	Thr	Val	Thr	Cys	Leu	Pro	Asp	Gly	Gln	Thr	Leu	Leu	Lys	Ser	
	1900					1905					1910					
CAT	CGG	GTC	AAC	TGT	GAC	CGG	GGG	CCA	AGG	CCT	TCG	TGC	CCC	AAT	GGC	5992
His	Arg	Val	Asn	Cys	Asp	Arg	Gly	Pro	Arg	Pro	Ser	Cys	Pro	Asn	Gly	
	1915				1920					1925					1930	
CAG	CCC	CCT	CTC	AGG	GTA	GAG	GAG	ACC	TGT	GGC	TGC	CGC	TGG	ACC	TGT	6040
Gln	Pro	Pro	Leu	Val	Glu	Glu	Thr	Cys	Gly	Cys	Arg	Trp	Thr	Cys		
				1935				1940					1945			
CCC	TGT	GTG	TGC	ATG	GGC	AGC	TCT	ACC	CGG	CAC	ATC	GTG	ACC	TTT	GAT	6088
Pro	Cys	Val	Cys	Met	Gly	Ser	Ser	Thr	Arg	His	Ile	Val	Thr	Phe	Asp	
		1950						1955					1960			
GGG	CAG	AAT	TTC	AAG	CTG	ACT	GGC	AGC	TGT	TCG	TAT	GTC	CTA	TTT	CAA	6136
Gly	Gln	Asn	Phe	Lys	Leu	Thr	Gly	Ser	Cys	Ser	Tyr	Val	Leu	Phe	Gln	
	1965						1970					1975				
AAC	AAG	GAG	CAG	GAC	CTG	GAG	GTG	ATT	CTC	CAG	AAT	GGT	GCC	TGC	AGC	6184
Asn	Lys	Glu	Gln	Asp	Leu	Glu	Val	Ile	Leu	Gln	Asn	Gly	Ala	Cys	Ser	
	1980					1985					1990					
CCT	GGG	GCG	AAG	GAG	ACC	TGC	ATG	AAA	TCC	ATT	GAG	GTG	AAG	CAT	GAC	6232
Pro	Gly	Ala	Lys	Glu	Thr	Cys	Met	Lys	Ser	Ile	Glu	Val	Lys	His	Asp	
	1995				2000					2005					2010	
GGC	CTC	TCA	GTT	GAG	CTC	CAC	AGT	GAC	ATG	CAG	ATG	ACA	GTG	AAT	GGG	6280
Gly	Leu	Ser	Val	Glu	Leu	His	Ser	Asp	Met	Gln	Met	Thr	Val	Asn	Gly	
				2015					2020					2025		
AGA	CTA	GTC	TCC	ATC	CCA	TAT	GTG	GGT	GGA	GAC	ATG	GAA	GTC	AAT	GTT	6328
Arg	Leu	Val	Ser	Ile	Pro	Tyr	Val	Gly	Gly	Asp	Met	Glu	Val	Asn	Val	
			2030				2035						2040			
TAT	GGG	ACC	ATC	ATG	TAT	GAG	GTC	AGA	TTC	AAC	CAT	CTT	GGC	CAC	ATC	6376
Tyr	Gly	Thr	Ile	Met	Tyr	Glu	Val	Arg	Phe	Asn	His	Leu	Gly	His	Ile	
		2045					2050					2055				
TTC	ACA	TTC	ACC	CCC	CAA	AAC	AAT	GAG	TTC	CAG	CTG	CAG	CTC	AGC	CCC	6424
Phe	Thr	Phe	Thr	Pro	Gln	Asn	Asn	Glu	Phe	Gln	Leu	Gln	Leu	Ser	Pro	
	2060					2065					2070					

- 24 -

AGG ACC TTT GCT TCG AAG ACA TAT GGT CTC TGT GGG ATC TGT GAT GAG Arg Thr Phe Ala Ser Lys Thr Tyr Gly Leu Cys Gly Ile Cys Asp Glu 2075 2080 2085 2090	6472
AAC GGA GCC AAT GAC TTC ATT CTG AGG GAT GGG ACA GTC ACC ACA GAC Asn Gly Ala Asn Asp Phe Ile Leu Arg Asp Gly Thr Val Thr Thr Asp 2095 2100 2105	6520
TGG AAG GCA CTC ATC CAG GAA TGG ACC GTA CAG CAG CTT GGG AAG ACA Trp Lys Ala Leu Ile Gln Glu Trp Thr Val Gln Gln Leu Gly Lys Thr 2110 2115 2120	6568
TCC CAG CCT GTC CAT GAG GAG CAG TGT CCT GTC TCC GAA TTC TTC CAC Ser Gln Pro Val His Glu Glu Gln Cys Pro Val Ser Glu Phe Phe His 2125 2130 2135	6616
TGC CAG GTC CTC CTC TCA GAA TTG TTT GCC GAG TGC CAC AAG GTC CTC Cys Gln Val Leu Leu Ser Glu Leu Phe Ala Glu Cys His Lys Val Leu 2140 2145 2150	6664
GCT CCA GCC ACC TTT TAT GCC ATG TGC CAG CCC GAC AGT TGC CAC CCG Ala Pro Ala Thr Phe Tyr Ala Met Cys Gln Pro Asp Ser Cys His Pro 2155 2160 2165 2170	6712
AAG AAA GTG TGT GAG GCG ATT GCC TTG TAT GCC CAC CTC TGT CGG ACC Lys Lys Val Cys Glu Ala Ile Ala Leu Tyr Ala His Leu Cys Arg Thr 2175 2180 2185	6760
AAA GGG GTC TGT GTG GAC TGG AGG AGG GCC AAT TTC TGT GCT ATG TCA Lys Gly Val Cys Val Asp Trp Arg Arg Ala Asn Phe Cys Ala Met Ser 2190 2195 2200	6808
TGT CCA CCA TCC CTG GTG TAC AAC CAC TGT GAG CAT GGC TGC CCT CGG Cys Pro Pro Ser Leu Val Tyr Asn His Cys Glu His Gly Cys Pro Arg 2205 2210 2215	6856
CTC TGT GAA GGC AAT ACA AGC TCC TGT GGG GAC CAA CCC TCG GAA GGC Leu Cys Glu Gly Asn Thr Ser Ser Cys Gly Asp Gln Pro Ser Glu Gly 2220 2225 2230	6904
TGC TTC TGC CCC CCA AAC CAA GTC ATG CTG GAA GGT AGC TGT GTC CCC Cys Phe Cys Pro Pro Asn Gln Val Met Leu Glu Gly Ser Cys Val Pro 2235 2240 2245 2250	6952
GAG GAG GCC TGT ACC CAG TGC ATC AGC GAG GAT GGA GTC CGG CAC CAG Glu Glu Ala Cys Thr Gln Cys Ile Ser Glu Asp Gly Val Arg His Gln 2255 2260 2265	7000
TTC CTG GAA ACC TGG GTC CCA GCC CAC CAG CCT TGC CAG ATC TGC ACG Phe Leu Glu Thr Trp Val Pro Ala His Gln Pro Cys Gln Ile Cys Thr 2270 2275 2280	7048
TGC CTC AGT GGG CGG AAG GTC AAC TGT ACG TTG CAG CCC TGC CCC ACA Cys Leu Ser Gly Arg Lys Val Asn Cys Thr Leu Gln Pro Cys Pro Thr 2285 2290 2295	7096
GCC AAA GCT CCC ACC TGT GGC CCG TGT GAA GTG GCC CGC CTC CGC CAG Ala Lys Ala Pro Thr Cys Gly Pro Cys Glu Val Ala Arg Leu Arg Gln 2300 2305 2310	7144
AAC GCA GTG CAG TGC TGC CCG GAG TAC GAG TGT GTG TGT GAC CTG GTG Asn Ala Val Gln Cys Cys Pro Glu Tyr Glu Cys Val Cys Asp Leu Val 2315 2320 2325 2330	7192
AGC TGT GAC CTG CCC CCG GTG CCT CCC TGC GAA GAT GGC CTC CAG ATG Ser Cys Asp Leu Pro Pro Val Pro Pro Cys Glu Asp Gly Leu Gln Met 2335 2340 2345	7240

- 25 -

ACC CTG ACC AAT CCT GGC GAG TGC AGA CCC AAC TTC ACC TGT GCC TGC	7288
Thr Leu Thr Asn Pro Gly Glu Cys Arg Pro Asn Phe Thr Cys Ala Cys	
2350 2355 2360	
AGG AAG GAT GAA TGC AGA CGG GAG TCC CCG CCC TCT TGT CCC CCG CAC	7336
Arg Lys Asp Glu Cys Arg Arg Glu Ser Pro Pro Ser Cys Pro Pro His	
2365 2370 2375	
CGG ACG CCG GCC CTT CGG AAG ACT CAG TGC TGT GAT GAG TAT GAG TGT	7384
Arg Thr Pro Ala Leu Arg Lys Thr Gln Cys Cys Asp Glu Tyr Glu Cys	
2380 2385 2390	
GCA TGC AAC TGT GTC AAC TCC ACG GTG AGC TGC CCG CTT GGG TAC CTG	7432
Ala Cys Asn Cys Val Asn Ser Thr Val Ser Cys Pro Leu Gly Tyr Leu	
2395 2400 2405 2410	
GCC TCG GCT GTC ACC AAC GAC TGT GGC TGC ACC ACA ACA ACC TGC TTC	7480
Ala Ser Ala Val Thr Asn Asp Cys Gly Cys Thr Thr Thr Thr Cys Phe	
2415 2420 2425	
CCT GAC AAG GTG TGT GTC CAC CGA GGC ACC ATC TAC CCT GTG GGC CAG	7528
Pro Asp Lys Val Cys Val His Arg Gly Thr Ile Tyr Pro Val Gly Gln	
2430 2435 2440	
TTC TGG GAG GAG GCC TGT GAC GTG TGC ACC TGC ACG GAC TTG GAG GAC	7576
Phe Trp Glu Glu Ala Cys Asp Val Cys Thr Cys Thr Asp Leu Glu Asp	
2445 2450 2455	
TCT GTG ATG GGC CTG CGT GTG GCC CAG TGC TCC CAG AAG CCC TGT GAG	7624
Ser Val Met Gly Leu Arg Val Ala Gln Cys Ser Gln Lys Pro Cys Glu	
2460 2465 2470	
GAC AAC TGC CTG TCA GGC TTC ACT TAT GTC CTT CAT GAA GGC GAG TGC	7672
Asp Asn Cys Leu Ser Gly Phe Thr Tyr Val Leu His Glu Gly Glu Cys	
2475 2480 2485 2490	
TGT GGA AGG TGT CTG CCA TCT GCC TGT GAG GTG GTC ACT GGT TCA CCA	7720
Cys Gly Arg Cys Leu Pro Ser Ala Cys Glu Val Val Thr Gly Ser Pro	
2495 2500 2505	
CGG GGC GAC GCC CAG TCT CAC TGG AAG AAT GTT GGC TCT CAC TGG GCC	7768
Arg Gly Asp Ala Gln Ser His Trp Lys Asn Val Gly Ser His Trp Ala	
2510 2515 2520	
TCC CCT GAC AAC CCC TGC CTC ATC AAT GAG TGT GTC CGA GTG AAG GAA	7816
Ser Pro Asp Asn Pro Cys Leu Ile Asn Glu Cys Val Arg Val Lys Glu	
2525 2530 2535	
GAG GTC TTT GTG CAA CAG AGG AAT GTC TCC TGC CCC CAG CTG AAT GTC	7864
Glu Val Phe Val Gln Gln Arg Asn Val Ser Cys Pro Gln Leu Asn Val	
2540 2545 2550	
CCC ACC TGC CCC ACG GGC TTC CAG CTG AGC TGT AAG ACC TCA GAG TGT	7912
Pro Thr Cys Pro Thr Gly Phe Gln Leu Ser Cys Lys Thr Ser Glu Cys	
2555 2560 2565 2570	
TGT CCC ACC TGT CAC TGC GAG CCC CTG GAG GCC TGC TTG CTC AAT GGT	7960
Cys Pro Thr Cys His Cys Glu Pro Leu Glu Ala Cys Leu Leu Asn Gly	
2575 2580 2585	
ACC ATC ATT GGG CCG GGG AAA AGT CTG ATG ATT GAT GTG TGT ACA ACC	8008
Thr Ile Ile Gly Pro Gly Lys Ser Leu Met Ile Asp Val Cys Thr Thr	
2590 2595 2600	
TGC CGC TGC ACC GTG CCG GTG GGA GTC ATC TCT GGA TTC AAG CTG GAG	8056
Cys Arg Cys Thr Val Pro Val Gly Val Ile Ser Gly Phe Lys Leu Glu	
2605 2610 2615	

- 26 -

GGC AGG AAG ACC ACC TGT GAG GCA TGC CCC CTG GGT TAT AAG GAA GAG Gly Arg Lys Thr Thr Cys Glu Ala Cys Pro Leu Gly Tyr Lys Glu Glu 2620 2625 2630	8104
AAG AAC CAA GGT GAA TGC TGT GGG AGA TGT CTG CCT ATA GCT TGC ACC Lys Asn Gln Gly Glu Cys Cys Gly Arg Cys Leu Pro Ile Ala Cys Thr 2635 2640 2645 2650	8152
ATT CAG CTA AGA GGA GGA CAG ATC ATG ACA CTG AAG CGT GAT GAG ACT Ile Gln Leu Arg Gly Gly Gln Ile Met Thr Leu Lys Arg Asp Glu Thr 2655 2660 2665	8200
ATC CAG GAT GGC TGT GAC AGT CAC TTC TGC AAG GTC AAT GAA AGA GGA Ile Gln Asp Gly Cys Asp Ser His Phe Cys Lys Val Asn Glu Arg Gly 2670 2675 2680	8248
GAG TAC ATC TGG GAG AAG AGA GTC ACG GGT TGC CCA CCT TTC GAT GAA Glu Tyr Ile Trp Glu Lys Arg Val Thr Gly Cys Pro Pro Phe Asp Glu 2685 2690 2695	8296
CAC AAG TGT CTG GCT GAG GGA GGA AAA ATC ATG AAA ATT CCA GGC ACC His Lys Cys Leu Ala Glu Gly Gly Lys Ile Met Lys Ile Pro Gly Thr 2700 2705 2710	8344
TGC TGT GAC ACA TGT GAG GAG CCA GAA TGC AAG GAT ATC ATT GCC AAG Cys Cys Asp Thr Cys Glu Glu Pro Glu Cys Lys Asp Ile Ile Ala Lys 2715 2720 2725 2730	8392
CTG CAG CGT GTC AAA GTG GGA GAC TGT AAG TCT GAA GAG GAA GTG GAC Leu Gln Arg Val Lys Val Gly Asp Cys Lys Ser Glu Glu Glu Val Asp 2735 2740 2745	8440
ATT CAT TAC TGT GAG GGT AAA TGT GCC AGC AAA GCC GTG TAC TCC ATC Ile His Tyr Cys Glu Gly Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile 2750 2755 2760	8488
CAC ATG GAG GAT GTG CAG GAC CAG TGC TCC TGC TGC TCG CCC ACC CAG His Met Glu Asp Val Gln Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln 2765 2770 2775	8536
ACG GAG CCC ATG CAG GTG GCC CTG CGC TGC ACC AAT GGC TCC CTC ATC Thr Glu Pro Met Gln Val Ala Leu Arg Cys Thr Asn Gly Ser Leu Ile 2780 2785 2790	8584
TAC CAT GAG ATC CTC AAT GCC ATC GAA TGC AGG TGT TCC CCC AGG AAG Tyr His Glu Ile Leu Asn Ala Ile Glu Cys Arg Cys Ser Pro Arg Lys 2795 2800 2805 2810	8632
TGC AGC AAG TGAGGCCACT GCCTGGATGC TACTGTGCC TGCCTTACCC Cys Ser Lys	8681
GACCTCACTG GACTGGCCAG AGTGCTGCTC AGTCCTCCTC AGTCCTCCTC CTGCTCTGCT	8741
CTTGTGCTTC CTGATCCAC AATAAAGGTC AATCTTTCAC CTTGAAAAA AAAAAAAAAA	8801
A	8802

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2813 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

- 27 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Ser Pro Thr Arg Leu Val Arg Val Leu Leu Ala Leu Ala Leu Ile
 1 5 10 15
 Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr Val Gly Arg Ser Ser Met
 20 25 30
 Ala Arg Cys Ser Leu Leu Gly Gly Asp Phe Ile Asn Thr Phe Asp Glu
 35 40 45
 Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser Tyr Leu Leu Ala Gly Asp
 50 55 60
 Cys Gln Glu His Ser Ile Ser Leu Ile Gly Gly Phe Gln Asn Asp Lys
 65 70 75 80
 Arg Val Ser Leu Ser Val Tyr Leu Gly Glu Phe Phe Asp Ile His Leu
 85 90 95
 Phe Val Asn Gly Thr Met Leu Gln Gly Thr Gln Ser Ile Ser Met Pro
 100 105 110
 Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala Glu Ala Gly Tyr Tyr Lys
 115 120 125
 Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala Arg Ile Asp Gly Asn Gly
 130 135 140
 Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr Phe Asn Lys Thr Cys Gly
 145 150 155 160
 Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu Asp Asp Phe Lys Thr Gln
 165 170 175
 Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp Phe Ala Asn Ser Trp Ala
 180 185 190
 Leu Ser Ser Gly Glu Gln Arg Cys Lys Arg Val Ser Pro Pro Ser Ser
 195 200 205
 Pro Cys Asn Val Ser Ser Asp Glu Val Gln Gln Val Leu Trp Glu Gln
 210 215 220
 Cys Gln Leu Leu Lys Ser Ala Ser Val Phe Ala Arg Cys His Pro Leu
 225 230 235 240
 Val Asp Pro Glu Pro Phe Val Ala Leu Cys Glu Arg Thr Leu Cys Thr
 245 250 255
 Cys Val Gln Gly Met Glu Cys Pro Cys Ala Val Leu Leu Glu Tyr Ala
 260 265 270
 Arg Ala Cys Ala Gln Gln Gly Ile Val Leu Tyr Gly Trp Thr Asp His
 275 280 285
 Ser Val Cys Arg Pro Ala Cys Pro Ala Gly Met Glu Tyr Lys Glu Cys
 290 295 300
 Val Ser Pro Cys Thr Arg Thr Cys Gln Ser Leu His Val Lys Glu Val
 305 310 315 320
 Cys Gln Glu Gln Cys Val Asp Gly Cys Ser Cys Pro Glu Gly Gln Leu
 325 330 335
 Leu Asp Glu Gly His Cys Val Gly Ser Ala Glu Cys Ser Cys Val His
 340 345 350

- 28 -

Ala Gly Gln Arg Tyr Pro Pro Gly Ala Ser Leu Leu Gln Asp Cys His
 355 360 365
 Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile Cys Ser Asn Glu Glu Cys
 370 375 380
 Pro Gly Glu Cys Leu Val Thr Gly Gln Ser His Phe Lys Ser Phe Asp
 385 390 395 400
 Asn Arg Tyr Phe Thr Phe Ser Gly Val Cys His Tyr Leu Leu Ala Gln
 405 410 415
 Asp Cys Gln Asp His Thr Phe Ser Val Val Ile Glu Thr Val Gln Cys
 420 425 430
 Ala Asp Asp Leu Asp Ala Val Cys Thr Arg Ser Val Thr Val Arg Leu
 435 440 445
 Pro Gly His His Asn Ser Leu Val Lys Leu Lys Asn Gly Gly Gly Val
 450 455 460
 Ser Met Asp Gly Gln Asp Ile Gln Ile Pro Leu Leu Gln Gly Asp Leu
 465 470 475 480
 Arg Ile Gln His Thr Val Met Ala Ser Val Arg Leu Ser Tyr Gly Glu
 485 490 495
 Asp Leu Gln Met Asp Ser Asp Val Arg Gly Arg Leu Leu Val Thr Leu
 500 505 510
 Tyr Pro Ala Tyr Ala Gly Lys Thr Cys Gly Arg Gly Gly Asn Tyr Asn
 515 520 525
 Gly Asn Arg Gly Asp Asp Phe Val Thr Pro Ala Gly Leu Ala Glu Pro
 530 535 540
 Leu Val Glu Asp Phe Gly Asn Ala Trp Lys Leu Leu Gly Ala Cys Glu
 545 550 555 560
 Asn Leu Gln Lys Gln His Arg Asp Pro Cys Ser Leu Asn Pro Arg Gln
 565 570 575
 Ala Arg Phe Ala Glu Glu Ala Cys Ala Leu Leu Thr Ser Ser Lys Phe
 580 585 590
 Glu Pro Cys His Arg Ala Val Gly Pro Gln Pro Tyr Val Gln Asn Cys
 595 600 605
 Leu Tyr Asp Val Cys Ser Cys Ser Asp Gly Arg Asp Cys Leu Cys Ser
 610 615 620
 Ala Val Ala Asn Tyr Ala Ala Ala Val Ala Arg Arg Gly Val His Ile
 625 630 635 640
 Ala Trp Arg Glu Pro Gly Phe Cys Ala Leu Ser Cys Pro Gln Gly Gln
 645 650 655
 Val Tyr Leu Gln Cys Gly Thr Pro Cys Asn Met Thr Cys Leu Ser Leu
 660 665 670
 Ser Tyr Pro Glu Glu Asp Cys Asn Glu Val Cys Leu Glu Ser Cys Phe
 675 680 685
 Ser Pro Pro Gly Leu Tyr Leu Asp Glu Arg Gly Asp Cys Val Pro Lys
 690 695 700

- 29 -

Ala Gln Cys Pro Cys Tyr Tyr Asp Gly Glu Ile Phe Gln Pro Glu Asp
 705 710 715 720
 Ile Phe Ser Asp His His Thr Met Cys Tyr Cys Glu Asp Gly Phe Met
 725 730 735
 His Cys Thr Thr Ser Gly Gly Leu Gly Ser Leu Leu Pro Asn Pro Val
 740 745 750
 Leu Ser Ser Pro Arg Cys His Arg Ser Lys Arg Ser Leu Ser Cys Arg
 755 760 765
 Pro Pro Met Val Lys Leu Val Cys Pro Ala Asp Asn Pro Arg Ala Glu
 770 775 780
 Gly Leu Glu Cys Ala Lys Thr Cys Gln Asn Tyr Asp Leu Gln Cys Met
 785 790 795 800
 Ser Thr Gly Cys Val Ser Gly Cys Leu Cys Pro Gln Gly Met Val Arg
 805 810 815
 His Glu Asn Arg Cys Val Ala Leu Glu Arg Cys Pro Cys Phe His Gln
 820 825 830
 Gly Gln Glu Tyr Ala Pro Gly Glu Thr Val Lys Ile Asp Cys Asn Thr
 835 840 845
 Cys Val Cys Arg Asp Arg Lys Trp Thr Cys Thr Asp His Val Cys Asp
 850 855 860
 Ala Thr Cys Ser Ala Ile Gly Met Ala His Tyr Leu Thr Phe Asp Gly
 865 870 875 880
 Leu Lys Tyr Leu Phe Pro Gly Glu Cys Gln Tyr Val Leu Val Gln Asp
 885 890 895
 Tyr Cys Gly Ser Asn Pro Gly Thr Leu Arg Ile Leu Val Gly Asn Glu
 900 905 910
 Gly Cys Ser Tyr Pro Ser Val Lys Cys Lys Lys Arg Val Thr Ile Leu
 915 920 925
 Val Glu Gly Gly Glu Ile Glu Leu Phe Asp Gly Glu Val Asn Val Lys
 930 935 940
 Lys Pro Met Lys Asp Glu Thr His Phe Glu Val Val Glu Ser Gly Gln
 945 950 955 960
 Tyr Val Ile Leu Leu Leu Gly Lys Ala Leu Ser Val Val Trp Asp His
 965 970 975
 Arg Leu Ser Ile Ser Val Thr Leu Lys Arg Thr Tyr Gln Glu Gln Val
 980 985 990
 Cys Gly Leu Cys Gly Asn Phe Asp Gly Ile Gln Asn Asn Asp Phe Thr
 995 1000 1005
 Ser Ser Ser Leu Gln Ile Glu Glu Asp Pro Val Asp Phe Gly Asn Ser
 1010 1015 1020
 Trp Lys Val Asn Pro Gln Cys Ala Asp Thr Lys Lys Val Pro Leu Asp
 1025 1030 1035 1040
 Ser Ser Pro Ala Val Cys His Asn Asn Ile Met Lys Gln Thr Met Val
 1045 1050 1055

- 30 -

Asp Ser Ser Cys Arg Ile Leu Thr Ser Asp Ile Phe Gln Asp Cys Asn
 1060 1065 1070
 Arg Leu Val Asp Pro Glu Pro Phe Leu Asp Ile Cys Ile Tyr Asp Thr
 1075 1080 1085
 Cys Ser Cys Glu Ser Ile Gly Asp Cys Thr Cys Phe Cys Asp Thr Ile
 1090 1095 1100
 Ala Ala Tyr Ala His Val Cys Ala Gln His Gly Lys Val Val Ala Trp
 1105 1110 1115 1120
 Arg Thr Ala Thr Phe Cys Pro Gln Asn Cys Glu Glu Arg Asn Leu His
 1125 1130 1135
 Glu Asn Gly Tyr Glu Cys Glu Trp Arg Tyr Asn Ser Cys Ala Pro Ala
 1140 1145 1150
 Cys Pro Ile Thr Cys Gln His Pro Glu Pro Leu Ala Cys Pro Val Gln
 1155 1160 1165
 Cys Val Glu Gly Cys His Ala His Cys Pro Pro Gly Lys Ile Leu Asp
 1170 1175 1180
 Glu Leu Leu Gln Thr Cys Ile Asp Pro Glu Asp Cys Pro Val Cys Glu
 1185 1190 1195 1200
 Val Ala Gly Arg Arg Leu Ala Pro Gly Lys Lys Ile Ile Leu Asn Pro
 1205 1210 1215
 Ser Asp Pro Glu His Cys Gln Ile Cys Asn Cys Asp Gly Val Asn Phe
 1220 1225 1230
 Thr Cys Lys Ala Cys Arg Glu Pro Gly Ser Val Val Val Pro Pro Thr
 1235 1240 1245
 Asp Gly Pro Ile Gly Ser Thr Thr Ser Tyr Val Glu Asp Thr Ser Glu
 1250 1255 1260
 Pro Pro Leu His Asp Phe His Cys Ser Arg Leu Leu Asp Leu Val Phe
 1265 1270 1275 1280
 Leu Leu Asp Gly Ser Ser Lys Leu Ser Glu Asp Glu Phe Glu Val Leu
 1285 1290 1295
 Lys Val Phe Val Val Gly Met Met Glu His Leu His Ile Ser Gln Lys
 1300 1305 1310
 Arg Ile Arg Val Ala Val Val Glu Tyr His Asp Gly Ser His Ala Tyr
 1315 1320 1325
 Ile Glu Leu Lys Asp Arg Lys Arg Pro Ser Glu Leu Arg Arg Ile Thr
 1330 1335 1340
 Ser Gln Val Lys Tyr Ala Gly Ser Glu Val Ala Ser Thr Ser Glu Val
 1345 1350 1355 1360
 Leu Lys Tyr Thr Leu Phe Gln Ile Phe Gly Lys Ile Asp Arg Pro Glu
 1365 1370 1375
 Ala Ser Arg Ile Ala Leu Leu Leu Met Ala Ser Gln Glu Pro Ser Arg
 1380 1385 1390
 Leu Ala Arg Asn Leu Val Arg Tyr Val Gln Gly Leu Lys Lys Lys Lys
 1395 1400 1405

- 31 -

Val Ile Val Ile Pro Val Gly Ile Gly Pro His Ala Ser Leu Lys Gln
 1410 1415 1420
 Ile His Leu Ile Glu Lys Gln Ala Pro Glu Asn Lys Ala Phe Val Phe
 1425 1430 1435 1440
 Ser Gly Val Asp Glu Leu Glu Gln Arg Arg Asp Glu Ile Ile Asn Tyr
 1445 1450 1455
 Leu Cys Asp Leu Ala Pro Glu Ala Pro Ala Pro Thr Gln His Pro Pro
 1460 1465 1470
 Met Ala Gln Val Thr Val Gly Ser Glu Leu Leu Gly Val Ser Ser Pro
 1475 1480 1485
 Gly Pro Lys Arg Asn Ser Met Val Leu Asp Val Val Phe Val Leu Glu
 1490 1495 1500
 Gly Ser Asp Lys Ile Gly Glu Ala Asn Phe Asn Lys Ser Arg Glu Phe
 1505 1510 1515 1520
 Met Glu Glu Val Ile Gln Arg Met Asp Val Gly Gln Asp Arg Ile His
 1525 1530 1535
 Val Thr Val Leu Gln Tyr Ser Tyr Met Val Thr Val Glu Tyr Thr Phe
 1540 1545 1550
 Ser Glu Ala Gln Ser Lys Gly Glu Val Leu Gln Gln Val Arg Asp Ile
 1555 1560 1565
 Arg Tyr Arg Gly Gly Asn Arg Thr Asn Thr Gly Leu Ala Leu Gln Tyr
 1570 1575 1580
 Leu Ser Glu His Ser Phe Ser Val Ser Gln Gly Asp Arg Glu Gln Val
 1585 1590 1595 1600
 Pro Asn Leu Val Tyr Met Val Thr Gly Asn Pro Ala Ser Asp Glu Ile
 1605 1610 1615
 Lys Arg Met Pro Gly Asp Ile Gln Val Val Pro Ile Gly Val Gly Pro
 1620 1625 1630
 His Ala Asn Val Gln Glu Leu Glu Lys Ile Gly Trp Pro Asn Ala Pro
 1635 1640 1645
 Ile Leu Ile His Asp Phe Glu Met Leu Pro Arg Glu Ala Pro Asp Leu
 1650 1655 1660
 Val Leu Gln Arg Cys Cys Ser Gly Glu Gly Leu Gln Ile Pro Thr Leu
 1665 1670 1675 1680
 Ser Pro Thr Pro Asp Cys Ser Gln Pro Leu Asp Val Val Leu Leu Leu
 1685 1690 1695
 Asp Gly Ser Ser Ser Ile Pro Ala Ser Tyr Phe Asp Glu Met Lys Ser
 1700 1705 1710
 Phe Thr Lys Ala Phe Ile Ser Arg Ala Asn Ile Gly Pro Arg Leu Thr
 1715 1720 1725
 Gln Val Ser Val Leu Gln Tyr Gly Ser Ile Thr Thr Ile Asp Val Pro
 1730 1735 1740
 Trp Asn Val Ala Tyr Glu Lys Val His Leu Leu Ser Leu Val Asp Leu
 1745 1750 1755 1760

- 32 -

Met Gln Gln Glu Gly Gly Pro Ser Glu Ile Gly Asp Ala Leu Ser Phe
 1765 1770 1775
 Ala Val Arg Tyr Val Thr Ser Glu Val His Gly Ala Arg Pro Gly Ala
 1780 1785 1790
 Ser Lys Ala Val Val Ile Leu Val Thr Asp Val Ser Val Asp Ser Val
 1795 1800 1805
 Asp Ala Ala Ala Glu Ala Ala Arg Ser Asn Arg Val Thr Val Phe Pro
 1810 1815 1820
 Ile Gly Ile Gly Asp Arg Tyr Ser Glu Ala Gln Leu Ser Ser Leu Ala
 1825 1830 1835 1840
 Gly Pro Lys Ala Gly Ser Asn Met Val Arg Leu Gln Arg Ile Glu Asp
 1845 1850 1855
 Leu Pro Thr Val Ala Thr Leu Gly Asn Ser Phe Phe His Lys Leu Cys
 1860 1865 1870
 Ser Gly Phe Asp Arg Val Cys Val Asp Glu Asp Gly Asn Glu Lys Arg
 1875 1880 1885
 Pro Gly Asp Val Trp Thr Leu Pro Asp Gln Cys His Thr Val Thr Cys
 1890 1895 1900
 Leu Pro Asp Gly Gln Thr Leu Leu Lys Ser His Arg Val Asn Cys Asp
 1905 1910 1915 1920
 Arg Gly Pro Arg Pro Ser Cys Pro Asn Gly Gln Pro Pro Leu Arg Val
 1925 1930 1935
 Glu Glu Thr Cys Gly Cys Arg Trp Thr Cys Pro Cys Val Cys Met Gly
 1940 1945 1950
 Ser Ser Thr Arg His Ile Val Thr Phe Asp Gly Gln Asn Phe Lys Leu
 1955 1960 1965
 Thr Gly Ser Cys Ser Tyr Val Leu Phe Gln Asn Lys Glu Gln Asp Leu
 1970 1975 1980
 Glu Val Ile Leu Gln Asn Gly Ala Cys Ser Pro Gly Ala Lys Glu Thr
 1985 1990 1995 2000
 Cys Met Lys Ser Ile Glu Val Lys His Asp Gly Leu Ser Val Glu Leu
 2005 2010 2015
 His Ser Asp Met Gln Met Thr Val Asn Gly Arg Leu Val Ser Ile Pro
 2020 2025 2030
 Tyr Val Gly Gly Asp Met Glu Val Asn Val Tyr Gly Thr Ile Met Tyr
 2035 2040 2045
 Glu Val Arg Phe Asn His Leu Gly His Ile Phe Thr Phe Thr Pro Gln
 2050 2055 2060
 Asn Asn Glu Phe Gln Leu Gln Leu Ser Pro Arg Thr Phe Ala Ser Lys
 2065 2070 2075 2080
 Thr Tyr Gly Leu Cys Gly Ile Cys Asp Glu Asn Gly Ala Asn Asp Phe
 2085 2090 2095
 Ile Leu Arg Asp Gly Thr Val Thr Thr Asp Trp Lys Ala Leu Ile Gln
 2100 2105 2110

- 33 -

Glu Trp Thr Val Gln Gln Leu Gly Lys Thr Ser Gln Pro Val His Glu
 2115 2120 2125
 Glu Gln Cys Pro Val Ser Glu Phe Phe His Cys Gln Val Leu Leu Ser
 2130 2135 2140
 Glu Leu Phe Ala Glu Cys His Lys Val Leu Ala Pro Ala Thr Phe Tyr
 2145 2150 2155 2160
 Ala Met Cys Gln Pro Asp Ser Cys His Pro Lys Lys Val Cys Glu Ala
 2165 2170 2175
 Ile Ala Leu Tyr Ala His Leu Cys Arg Thr Lys Gly Val Cys Val Asp
 2180 2185 2190
 Trp Arg Arg Ala Asn Phe Cys Ala Met Ser Cys Pro Pro Ser Leu Val
 2195 2200 2205
 Tyr Asn His Cys Glu His Gly Cys Pro Arg Leu Cys Glu Gly Asn Thr
 2210 2215 2220
 Ser Ser Cys Gly Asp Gln Pro Ser Glu Gly Cys Phe Cys Pro Pro Asn
 2225 2230 2235 2240
 Gln Val Met Leu Glu Gly Ser Cys Val Pro Glu Glu Ala Cys Thr Gln
 2245 2250 2255
 Cys Ile Ser Glu Asp Gly Val Arg His Gln Phe Leu Glu Thr Trp Val
 2260 2265 2270
 Pro Ala His Gln Pro Cys Gln Ile Cys Thr Cys Leu Ser Gly Arg Lys
 2275 2280 2285
 Val Asn Cys Thr Leu Gln Pro Cys Pro Thr Ala Lys Ala Pro Thr Cys
 2290 2295 2300
 Gly Pro Cys Glu Val Ala Arg Leu Arg Gln Asn Ala Val Gln Cys Cys
 2305 2310 2315 2320
 Pro Glu Tyr Glu Cys Val Cys Asp Leu Val Ser Cys Asp Leu Pro Pro
 2325 2330 2335
 Val Pro Pro Cys Glu Asp Gly Leu Gln Met Thr Leu Thr Asn Pro Gly
 2340 2345 2350
 Glu Cys Arg Pro Asn Phe Thr Cys Ala Cys Arg Lys Asp Glu Cys Arg
 2355 2360 2365
 Arg Glu Ser Pro Pro Ser Cys Pro Pro His Arg Thr Pro Ala Leu Arg
 2370 2375 2380
 Lys Thr Gln Cys Cys Asp Glu Tyr Glu Cys Ala Cys Asn Cys Val Asn
 2385 2390 2395 2400
 Ser Thr Val Ser Cys Pro Leu Gly Tyr Leu Ala Ser Ala Val Thr Asn
 2405 2410 2415
 Asp Cys Gly Cys Thr Thr Thr Thr Cys Phe Pro Asp Lys Val Cys Val
 2420 2425 2430
 His Arg Gly Thr Ile Tyr Pro Val Gly Gln Phe Trp Glu Glu Ala Cys
 2435 2440 2445
 Asp Val Cys Thr Cys Thr Asp Leu Glu Asp Ser Val Met Gly Leu Arg
 2450 2455 2460

- 34 -

Val Ala Gln Cys Ser Gln Lys Pro Cys Glu Asp Asn Cys Leu Ser Gly
 2465 2470 2475 2480
 Phe Thr Tyr Val Leu His Glu Gly Glu Cys Cys Gly Arg Cys Leu Pro
 2485 2490 2495
 Ser Ala Cys Glu Val Val Thr Gly Ser Pro Arg Gly Asp Ala Gln Ser
 2500 2505 2510
 His Trp Lys Asn Val Gly Ser His Trp Ala Ser Pro Asp Asn Pro Cys
 2515 2520 2525
 Leu Ile Asn Glu Cys Val Arg Val Lys Glu Glu Val Phe Val Gln Gln
 2530 2535 2540
 Arg Asn Val Ser Cys Pro Gln Leu Asn Val Pro Thr Cys Pro Thr Gly
 2545 2550 2555 2560
 Phe Gln Leu Ser Cys Lys Thr Ser Glu Cys Cys Pro Thr Cys His Cys
 2565 2570 2575
 Glu Pro Leu Glu Ala Cys Leu Leu Asn Gly Thr Ile Ile Gly Pro Gly
 2580 2585 2590
 Lys Ser Leu Met Ile Asp Val Cys Thr Thr Cys Arg Cys Thr Val Pro
 2595 2600 2605
 Val Gly Val Ile Ser Gly Phe Lys Leu Glu Gly Arg Lys Thr Thr Cys
 2610 2615 2620
 Glu Ala Cys Pro Leu Gly Tyr Lys Glu Glu Lys Asn Gln Gly Glu Cys
 2625 2630 2635 2640
 Cys Gly Arg Cys Leu Pro Ile Ala Cys Thr Ile Gln Leu Arg Gly Gly
 2645 2650 2655
 Gln Ile Met Thr Leu Lys Arg Asp Glu Thr Ile Gln Asp Gly Cys Asp
 2660 2665 2670
 Ser His Phe Cys Lys Val Asn Glu Arg Gly Glu Tyr Ile Trp Glu Lys
 2675 2680 2685
 Arg Val Thr Gly Cys Pro Pro Phe Asp Glu His Lys Cys Leu Ala Glu
 2690 2695 2700
 Gly Gly Lys Ile Met Lys Ile Pro Gly Thr Cys Cys Asp Thr Cys Glu
 2705 2710 2715 2720
 Glu Pro Glu Cys Lys Asp Ile Ile Ala Lys Leu Gln Arg Val Lys Val
 2725 2730 2735
 Gly Asp Cys Lys Ser Glu Glu Glu Val Asp Ile His Tyr Cys Glu Gly
 2740 2745 2750
 Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile His Met Glu Asp Val Gln
 2755 2760 2765
 Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln Thr Glu Pro Met Gln Val
 2770 2775 2780
 Ala Leu Arg Cys Thr Asn Gly Ser Leu Ile Tyr His Glu Ile Leu Asn
 2785 2790 2795 2800
 Ala Ile Glu Cys Arg Cys Ser Pro Arg Lys Cys Ser Lys
 2805 2810

- 35 -

WE CLAIM:

1. An isolated nucleic acid comprising a nucleotide sequence encoding canine von Willebrand Factor polypeptide.
2. The isolated nucleic acid of Claim 1, wherein the nucleotide sequence
5 is capable of hybridizing under high stringency conditions to SEQ ID NO. 1.
3. The isolated nucleic acid of Claim 1, wherein the nucleotide sequence encodes the Scottish terrier von Willebrand Factor polypeptide.
4. The isolated nucleic acid of Claim 2, wherein the nucleotide sequence encodes the Scottish terrier von Willebrand Factor polypeptide.
- 10 5. A vector comprising the nucleic acid of Claim 1.
6. A vector comprising the nucleic acid of Claim 2.
7. A cell comprising the vector of Claim 5.
8. A cell comprising the vector of Claim 6.
9. An isolated nucleic acid comprising a nucleotide sequence encoding
15 defective canine von Willebrand Factor polypeptide.
10. The isolated nucleic acid of Claim 9, wherein the nucleotide sequence is capable of hybridizing under high stringency conditions to the complement of SEQ ID NO. 1 having a base deletion at codon 88.
11. A vector comprising the nucleic acid of Claim 9.
- 20 12. A vector comprising the nucleic acid of Claim 10.
13. A cell comprising the vector of Claim 11.
14. A cell comprising the vector of Claim 12.

- 36 -

15. An isolated oligonucleotide sequence consisting of contiguous nucleic acids of the nucleotide sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene.

16. An isolated oligonucleotide sequence consisting of contiguous nucleic acids of the nucleotide sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene.

17. A method of detecting a canine von Willebrand Factor gene in a sample comprising the steps of:

- 10 a) contacting the sample with a oligonucleotide comprising contiguous nucleic acids of the nucleotide sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene, under conditions favorable for hybridization of the oligonucleotide to any complementary sequences of nucleic acid in the sample; and
- 15 b) detecting hybridization, thereby detecting a canine von Willebrand Factor gene.

18. The method of Claim 17, further comprising the step of:

- 20 c) quantifying hybridization of the oligonucleotide to complementary sequence.

19. The method of Claim 17, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

20. An assay kit for screening for a canine von Willebrand Factor gene comprising:

- 25 a) an oligonucleotide comprising contiguous nucleic acids of the nucleotide sequence of SEQ ID NO. 1 and capable of hybridizing with the canine von Willebrand Factor gene;
- b) reagents for hybridization of the oligonucleotide to a complementary nucleic acid sequence; and
- 30 c) container means for a)-b).

- 37 -

21. A method of detecting a canine von Willebrand Factor gene in a sample comprising the steps of:

- 5 a) contacting the sample with an oligonucleotide comprising contiguous nucleic acids of the nucleotide sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing to the complementary nucleotide sequence, under conditions favorable for hybridization of the oligonucleotide to any complementary sequences of nucleic acid in the sample; and
- 10 b) detecting hybridization, thereby detecting a canine von Willebrand Factor gene.

22. The method of Claim 21, further comprising the step of:

- c) quantifying hybridization of the oligonucleotide to complementary sequences.

15 23. The method of Claim 21, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

24. An assay kit for screening for a canine von Willebrand Factor gene comprising:

- 20 a) an oligonucleotide comprising contiguous acids from the nucleotide sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing to the complementary nucleotide sequence;
- b) reagents for hybridization of the oligonucleotide to a complementary nucleic acid sequence; and
- 25 c) container means for a)-b).

25. The assay kit of Claim 24, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

- 38 -

26. A method for detecting a mutated canine von Willebrand Factor gene in a canine DNA sample comprising the steps of:

- 5 a) amplifying the DNA sample by polymerase chain reaction to produce polymerase chain reaction products, wherein the polymerase chain reaction uses primers that produce a restriction site in a mutant allele but not in a normal allele;
- b) digesting the polymerase chain reaction products with a restriction enzyme specific to the restriction site of the restriction site primer to produce DNA fragments; and
- 10 c) detecting the DNA fragments, thereby detecting a mutated canine von Willebrand Factor gene.

27. The method of Claim 26, wherein the primers are those of Figure 4.

28. The method of Claim 26, wherein the DNA fragments are detected by gel electrophoresis.

15 29. The method of Claim 27, wherein the restriction enzyme is *Bsi* EI.

30. The method of Claim 27, wherein the restriction enzyme is *Sau*96 I.

31. An oligonucleotide probe capable of detecting a mutation associated with canine von Willebrand's disease, wherein the mutation is a base deletion at codon 88 of the canine von Willebrand Factor gene.

FIGURE 1A

1 CATTAAAGG TCCTGGCTGS GAGCTTTTTT TTGGGACCAG CACTCCATGT TCAAGGGCAA
61 ACAGGGGCCA ATTAGGATCA ATCTTTTTTC TTTCTTTTTT TAAAAAATAA AATTCTTCCC
121 ACTTTGCACA CGGACAGTAG TACATACCAG TAGCTCTCTG CGAGGACGGT GATCACTAAT
181 CATTTCTCCT GCTTCGTGGC AGATGAGTCC TACCAGACTT GTGAGGGTGC TGCTGGCTCT
241 GGGCCTCATC TTGCCAGGGA AACTTTGTAC AAAAGGGACT GTTGAAGGT CATCGATGGC
301 CCGATGTAGC CTTCTCGGAG GTGACTTCAT CAACACCTTT GATGAGAGCA TGTACAGCTT
361 TGCGGGAGAT TGCAGTTACC TCCTGGCTGG GGACTGCCAG GAACACTCCA TCTCACTTAT
421 CGGGGGTTTC CAAAATGACA AAAGAGTGAG CCTCTCCGTG TATCTCGGAG AATTTTTCGA
481 CATTCAATTG TTTGTCAATG GTACCATGCT GCAGGGGACC CAAAGCATCT CCATGCCCTA
541 CGCCTCCAAT GGGCTGTATC TAGAGGCCGA GGCTGGCTAC TACAAGCTGT CCAGTGAGGC
601 CTACGGCTTT GTGGCCAGAA TTGATGGCAA TGGCAACTTT CAAGTCCTGC TGTCAGACAG
661 ATACTTCAAC AAGACCTGTG GGCTGTGTGG CAACTTTAAT ATCTTTGTCTG AGGATGACTT
721 CAAGACTCAA GAAGGGACGT TGACTTCGGA CCCCTATGAC TTTGCCAACT CCTGGGCCCT
781 GAGCAGTGGG GAACAACGGT GCAAACGGGT GTCCCTCCC AGCAGCCCAT GCAATGTCTC
841 CTCTGATGAA GTGCAGCAGG TCCTGTGGGA GCASTGCCAG CTCCTGAAGA GTGCCTCGGT
901 GTTTGCCCGC TGCCACCCGC TGGTGGACCC TGAGCCTTTT GTCGCCCTGT GTGAAAGGAC
961 TCTGTGCACC TGTGTCCAGG GGATGGAGTG CCCTTGTGCG GTCTCCTGG AGTACGCCCG
1021 GGCCTGTGCC CAGCAGGGGA TTGTCTTGTA CGCTGGACC GACCACAGCG TCTGCCGACC
1081 AGCATGCCCT GCTGGCATGG AGTACAAGGA GTGCGTGTCC CTTGCACCA GAACCTGCCA
1141 GAGCCTTCAT GTCAAAGAAG TGTGTCAGGA GCAATGTGTA GATGGCTGCA GCTGCCCGGA
1201 GGGCCAGCTC CTGGATGAAG GCCACTGCGT GGGAAAGTGT GAGTGTTCCT GTGTGCATGC
1261 TGGGCAACGG TACCCTCCGG GCGCTCCCT CTTACAGGAC TGCCACACCT GCATTTGCCG
1321 AAATAGCCTG TGGATCTGCA GCAATGAAGA ATGCCCAGGC GAGTGTCTGG TCACAGGACA
1381 GTCCCACTTC AAGAGCTTCG ACAACAGGTA CTTACCTTC AGTGGGGTCT GCCACTACCT
1441 GCTGGCCAG GACTGCCAGG ACCACACATT CTCTGTGTG ATAGAGACTG TCCAGTGTGC
1501 CGATGACCTG GATGCTGTCT GCACCCGCTC GGTACCCGTG CGCCTGCCTG GACATCAAA
1561 CAGCCTTGTG AAGCTGAAGA ATGGGGGAGG AGTCTCCATG GATGGCCAGG ATATCCAGAT
1621 TCCTCTCCTG CAAGGTGACC TCCGCATCCA GCACACCGTG ATGGCCTCCG TGCGCCTCAG
1681 CTACGGGGAG CAGCTGCAGA TGGATTCCGA CGTCCGGGGC AGGCTACTGG TGACGCTGTA
1741 CCCCCCTAC GCGGGGAAGA CGTGGGGCGG TGGCGGGAAC TACAACGGCA ACCGGGGGGA
1801 CGACTTCGTG ACGCCCGCAG GCCTGGCGGA GCCCCTGGTG GAGGACTTCG GGAACGCCTG
1861 GAAGCTGCTC GGGGCTGCG AGAACCTGCA GAAGCAGCAC CGCGATCCCT GCAGCCTCAA
1921 CCGCGGCCAG GCCAGGTITG CGGAGGAGGC GTGCGCGCTG CTGACGTCTT CGAAGTTCGA
1981 GCCCTGCCAC CGAGCGGTGG GTCCTCAGCC CTACGTGCAG AACTGCCTCT ACGACGTCTG
2041 CTCTGCTCC GACGGCAGAG ACTGTCTTTG CAGCGCCGTG GCCAACTACG CCGCAGCCGT
2101 GGCCCGGAGG GGCGTGACCA TCGCGTGGCG GGAGCCGGGC TTCTGTGCGC TGAGCTGCC
2161 CCAGGGCCAG GTGTACCTGC AGTGTGGGAC CCCCTGCAAC ATGACCTGTC TCTCCCTCTC
2221 TTACCCGGAG GAGGACTGCA ATGAGGTCTG CTTGGAAAGC TGCTTCTCCC CCCCAGGGCT
2281 GTACCTGGAT GAGAGGGGAG ATTGTGTGCC CAAGGCTCAG TGTCCCTGTT ACTATGATGG
2341 TGAGATCTTT CAGCCCGAAG ACATCTTCTC AGACCATCAC ACCATGTGCT ACTGTGAGGA
2401 TGGCTTCATG CACTGTACCA CAAGTGGAGG CCTGGGAAGC CTGCTGCCCC ACCCGGTGCT
2461 CAGCAGCCCC CGGTGTCACC GCAGCAAAAG GAGCCTGTCC TGTGCGCCCC CCATGGTCAA
2521 GTTGGTGTGT CCCGCTGATA ACCCGAGGGC TGAAGGACTG GAGTGTGCCA AAACCTGCCA
2581 GAACATATGAC CTGCAGTGCA TGAGCACAGG CTGTGTCTCC GGCTGCCTCT GCCCGCAGGG
2641 CATGGTCCGG CATGAAAACA GGTGTGTGGC GCTGGAAAGA TGTCCCTGCT TCCACCAAGG
2701 CCAAGAGTAC GCCCCAGGAG AAACCGTGAA AATTGACTGC AACACTTGTG TCTGTGCGGA
2761 CCGGAAGTGG ACCTGCACAG ACCATGTGTG TGATGCCACT TGCTCTGCCA TCGGCATGGC
2821 GCACTACCTC ACCTTCGACG GACTCAAGTA CCTGTCCCT GGGGAGTGCC AGTATGTTCT
2881 GGTGCAGGAT TACTGCGGCA GTAACCCTGG GACCTTACGG ATCCTGGTGG GGAACGAGGG
2941 GTGCAGCTAC CCCTCAGTGA AATGCAAGAA GCGGGTCACC ATCCTGGTGG AAGGAGGAGA
3001 GATTGAACCTG TTTGATGGGG AGGTGAATGT GAAGAAACCC ATGAAGGATG AGACTCACTT
3061 TGAGGTGGTA GAGTCTGGTC AGTACGTCAT TCTGCTGCTG GGCAAGGCAC TCTCTGTGGT
3121 CTGGGACCAC CGCCTGAGCA TCTCTGTGAC CCTGAAGCGG ACATACCAGG AGCAGGTGTG

2/9

FIGURE 1B

```

3181 TGGCCTGTGT GGGAAATTTTG ATGGCATCCA GAACAATGAT TTCACCAGCA GCAGCCTCCA
3241 AATAGAAGAA GACCCTGTGG ACTTTGGGAA TTCCTGGAAA GTGAACCCGC AGTGTGCCGA
3301 CACCAAGAAA GTACCACTGG ACTCATCCCC TGCCGTCTGC CACAACAACA TCATGAAGCA
3361 GACGATGGTG GATTCTCTCT GCAGGATCCT CACCAGTGAT ATTTTCCAGG ACTGCAACAG
3421 GCTGGTGGAC CCTGAGCCAT TCCTGGACAT TTGCATCTAC GACACTTGCT CCTGTGAGTC
3481 CATTGGGGAC TGCACCTGCT TCTGTGACAC CATTGCTGCT TACGCCCCAG TCTGTGCCCCA
3541 GCATGGCAAG GTGGTAGCCT GGAGGACAGC CACATTCTGT CCCCAGAAAT GCGAGGAGCG
3601 GAATCTCCAC GAGAATGGGT ATGAGTGTGA GTGGCGCTAT AACAGCTGTG CCCCTGCCTG
3661 TCCCATCACG TGCCAGCACC CCGAGCCACT GGCATGCCCT GTACAGTGTG TTGAAGGTTG
3721 CCATGCGCAC TGCCCTCCAG GGAAAATCCT GGATGAGCTT TTGCAGACCT GCATCGACCC
3781 TGAAGACTGT CCTGTGTGTG AGGTGGCTGG TCGTCGCTTG GCCCCAGGAA AGAAAATCAT
3841 CTTGAACCCC AGTGACCCCTG AGCACTGCCA AATTTGTAAT TGTGATGGTG TCAACTTCAC
3901 CTGTAAGGCC TGCAGAGAAC CCGGAAGTGT TGTGGTGCCC CCCACAGATG GCCCCATTGG
3961 CTCTACCACC TCGTATGTGG AGGACACGTC GGAGCCGCCC CTCCATGACT TCCACTGCAG
4021 CAGGCTTCTG GACCTGGTTT TCCTGCTGGA TGGCTCCTCC AAGCTGTCTG AGGACGAGTT
4081 TGAAGTGCTG AAGGTCTTTG TGGTGGGTAT GATGGAGCAT CTGCACATCT CCCAGAAGCG
4141 GATCCGCGTG GCTGTGGTGG AGTACCACGA CGGCTCCAC GCCTACATCG AGCTCAAGGA
4201 CCGGAAGCGA CCCTCAGAGC TCGGCGCAT CACCAGCCAG GTGAAGTACG CGGGACGCGA
4261 GGTGGCCTCC ACCAGTGAGG TCTTAAAGTA CACGCTGTTT CAGATCTTTG GCAAGATCGA
4321 CCGCCCGGAA GCGTCTCGCA TTGCCCTGCT CCTGATGGCC AGCCAGGAGC CCAAGGCT
4381 GGCCCGGAAT TTGGTCCGCT ATGTGCAGGG CCGAAGAAG AAGAAAGTCA TTGTCTATCC
4441 TGTGGGCATC GGGCCCCACG CCAGCCTTAA GCAGATCCAC CTCATAGAGA AGCAGGCCCC
4501 TGAGAACAAG GCCTTTGTGT TCAGTGGTGT GGATGAGTTG GAGCAGCGAA GGGATGAGAT
4561 TATCAACTAC CTCTGTGACC TTGCCCCCGA AGCACCTGCC CCTACTCAGC ACCCCCCAAT
4621 GGCCCAGGTC ACGGTGGGTI CCGAGCTGTT GGGGGTTTCA TCTCCAGGAC CCAAAAGGAA
4681 CTCCATGGTC CTGGATGTGG TGTGTCTCT GGAAGGGTCA GACAAAATTG GTGAGGCCAA
4741 CTTTAAACAA AGCAGGGAGT TCATGGAGGA GGTGATTGAG CCGATGGAGC TGGGCCAGGA
4801 CAGGATCCAC GTCACAGTGC TGCACTACTC GTACATGGTG ACCGTGGAGT ACACCTTCAG
4861 CGAGGCGCAG TCCAAGGGCG AGGTCTTACA GCAGGTGCGG GATATCCGAT ACCGGGTGG
4921 CAACAGGACC AACACTGGAC TGGCCCTGCA ATACCTGTCC GAACACAGCT TCTCGGTCAG
4981 CCAGGGGGAC CGGGAGCAGG TACCTAACCT GGTCTACATG GTCACAGGAA ACCCCGCTTC
5041 TGATGAGATC AAGCGGATGC CTGGAGACAT CCAGGTGGTG CCCATCGGGG TGGSTCCACA
5101 TGCCATGTG CAGGAGCTGG AGAAGATTGG CTGGCCCAAT GCCCCATCC TCATCCATGA
5161 CTTTGAGATG CTCCCTCGAG AGGCTCCTGA TCTGGTGCTA CAGAGGTGCT GCTCTGGAGA
5221 GGGGCTGCAG ATCCCCACCC TCTCCCCAC CCCAGATTGC AGCCAGCCCC TGGATGTGGT
5281 CCTCTCCTG GATGGCTCTT CCAGCATTCC AGCTTCTTAC TTTGATGAA TGAAGAGCTT
5341 CACCAAGGCT TTTATTCAA GAGCTAATAT AGGGCCCCG CTCACTCAAG TGTGGTGCT
5401 GCAATATGGA AGCATCACCA CTATCGATGT GCCTTGGAAT GTAGCCTATG AGAAAGTCCA
5461 TTTACTGAGC CTTGTGGACC TCATGCAGCA GGAGGGAGGC CCCAGCGAAA TTGGGGATGC
5521 TTTGAGCTTT GCCGTGCGAT ATGTACCTC AGAAGTCCAT GGTGCCAGGC CCGGAGCCTC
5581 GAAAGCGGTG GTTATCCTAG TCACAGATGT CTCGTGGAT TCAGTGGATG CTGCAGCCGA
5641 GGCCGCCAGA TCCAACCGAG TGACAGTGTT CCCCATTGGA ATCGGGGATC GGTACAGTGA
5701 GGCCAGCTG AGCAGCTTGG CAGGCCCAA GGTGGCTCC AATATGGTAA GGCTCCAGCG
5761 AATTGAAGAC CTCCCCACCG TGGCCACCCT GGGAAATTCC TTCTTCCACA AGCTGTGCTC
5821 TGGGTTTGAT AGAGTTTGC TGGATGAGGA TGGGAATGAG AAGAGGCCCG GGGATGTCTG
5881 GACCTTGCCA GACCAGTGCC ACACAGTGAC TTGCCTGCA GATGGCCAGA CCTTGCTGAA
5941 GAGTCATCGG GTCAACTGTG ACCGGGGGCC AAGGCCTTCG TGCCCCAATG GCCAGCCCCC
6001 TCTCAGGTA GAGGAGACCT GTGGCTGCCG CTGGACCTGT CCCTGTGTGT GCATGGGCG
6061 CTCTACCCGG CACATCGTGA CCTTTGATGG GCAGAATTTT AAGCTGACTG GCAGCTGTTT
6121 GTATGTCCTA TTTCAAACA AGGAGCAGGA CCTGGAGGTG ATTCTCCAGA ATGGTGCCTG
6181 CAGCCCTGGG GCGAAGGAGA CCTGCATGAA ATCCATTGAG GTGAAGCATG ACGGCCTCTC
6241 AGTTGAGCTC CACAGTGACA TGCAGATGAC AGTGAATGGG AGACTAGTCT CCATCCCAT
6301 TGTGGGTGGA GACATGGAAG TCAATGTTTA TGGGACCATC ATGTATGAGG TCAGATTCAA
6361 CCATCTTGGC CACATCTTCA CATTACCCC CCAAAACAAT GAGTCCAGC TGCAGCTCAG

```

FIGURE 1C

```

6421 CCCCAGGACC TTTGCTTCGA AGACATATGG TCTCTGTGGG ATCTGTGATG AGAACGGAGC
6481 CAATGACTTC ATTCTGAGGG ATGGGACAGT CACCACAGAC TGGAAGGCAC TCATCCAGGA
6541 ATGGACCGTA CAGCAGCTTG GGAAGACATC CCAGCCTGTC CATGAGGAGC AGTGTCCTGT
6601 CTCCGAATTC TTCCACTGCC AGGTCCTCCT CTCAGAATTG TTTGCCGAGT GCCACAAGGT
6661 CCTCGCTCCA GCCACCTTTT ATGCCATGTG CCAGCCCGAC AGTTGCCACC CGAAGAAAGT
6721 GTGTGAGGCG ATTGCCTTGT ATGCCCCACCT CTGTGCGACC AAAGGGGTCT GTGTGGACTG
6781 GAGGAGGGCC AATTTCGTGT CTATGTGATG TCCACCATCC CTGGTGTACA ACCACTGTGA
6841 GCATGGCTGC CCTCGCTCT GTGAAGGCAA TACAAGCTCC TGTGGGGACC AACCCTCGGA
6901 AGGCTGCTTC TGCCCCCAA ACCAAGTCAT GCTGGAAGGT AGCTGTGTCC CCGAGGAGGC
6961 CTGTACCCAG TGCATCAGCG AGGATGGAGT CCGGCACCAG TTCCTGGAAA CCTGGGTCCC
7021 AGCCCACCAG CCTTGCCAGA TCTGCACGTG CCTCAGTGGG CGGAAGGTCA ACTGTACGTT
7081 GCAGCCCTGC CCCACAGCCA AAGCTCCAC CTGTGGCCCG TGTGAAGTGG CCCGCTCCG
7141 CCAGAACGCA GTGCAGTGCT GCCCGGAGTA CGAGTGTGTG TGTGACCTGG TGAGCTGTGA
7201 CCTGCCCCCG GTGCCTCCT GCGAAGATGG CCTCCAGATG ACCCTGACCA ATCCTGGCGA
7261 GTGCAGACCC AACTTCACCT GTGCCTGCAG GAAGGATGAA TGCAGACGGG AGTCCCCGCC
7321 CTCTTGTTCC CCGCACCGGA CGCCGCCCT TCGGAAGACT CAGTGCTGTG ATGAGTATGA
7381 GTGTGCATGC AACTGTGTCA ACTCCACGGT GAGCTGCCCG CTGGGTACC TGGCCTCGGC
7441 TGTCACCAAC GACTGTGGCT GCACCACAAC AACCTGCTTC CCTGACAAGG TGTGTGTCCA
7501 CCGAGGCACC ATCTACCCTG TGGGCCAGTT CTGGGAGGAG GCCTGTGACG TGTGCACCTG
7561 CACGGACTTG GAGGACTCTG TGATGGGCTT GCGTGTGGCC CAGTGCTCCC AGAAGCCCTG
7621 TGAGGACAAC TGCCTGTGAG GCTTCACTTA TGTCTTCAT GAAGGCGAGT GCTGTGGAAG
7681 GTGTCTGCCA TCTGCCTGTG AGGTGGTCAC TGGTTCACCA CGGGGCGACG CCCAGTCTCA
7741 CTGGAAGAAAT GTTGGCTCTC ACTGGGCCTC CCCTGACAA CCGTGCCTCA TCAATGAGTG
7801 TGTCCGAGTG AAGGAAGAGG TCTTTGTGCA ACAGAGGAAT GTCTCCTGCC CCCAGCTGAA
7861 TGTCCCCACC TGCCCCACGG GCTTCCAGCT GAGCTGTAAG ACCTCAGAGT GTTGTCCCAC
7921 CTGTCACTGC GAGCCCCTGG AGGCCTGCTT GCTCAATGGT ACCATCATTG GGCCGGGGAA
7981 AAGTCTGATG ATTGATGTGT GTACAACCTG CCGCTGCACC GTGCCGGTGG GAGTCATCTC
8041 TGGATTCAAG CTGGAGGGCA GGAAGACCAC CTGTGAGGCA TGCCCCCTGG GTTATAAGGA
8101 AGAGAAGAAC CAAGGTGAAT GCTGTGGGAG ATGTCTGCCT ATAGCTTGCA CCATTCAGCT
8161 AAGAGGAGGA CAGATCATGA CACTGAAGCG TGATGAGACT ATCCAGGATG GCTGTGACAG
8221 TCACTTCTGC AAGGTCAATG AAAGAGGAGA GTACATCTGG GAGAAGAGAG TCACGGGTTG
8281 CCCACCTTTC GATGAACACA AGTGTCTGGC TGAGGGAGGA AAAATCATGA AAATCCAGG
8341 CACCTGCTGT GACACATGTG AGGAGCCAGA ATGCAAGGAT ATCATTGCCA AGCTGCAGCG
8401 TGTCAAAGTG GGAGACTGTA AGTCTGAAGA GGAAGTGGAC ATTCATTACT GTGAGGGTAA
8461 ATGTGCCAGC AAAGCCGTGT ACTCCATCCA CATGGAGGAT GTGCAGGACC AGTGCTCCTG
8521 CTGCTCGCCC ACCCAGACGG AGCCCATGCA GGTGGCCCTG CGCTGCACCA ATGGCTCCTT
8581 CATCTACCAT GAGATCCTCA ATGCCATCGA ATGCAGGTGT TCCCCCAGGA AGTGCAGCAA
8641 GTGAGGCCAC TGCCTGGATG CTA CTGTGTCG CTGCCTTACC CGACCTCACT GGACTGGCCA
8701 GAGTGCTGCT CAGTCCTCCT CAGTCCTCCT CCTGCTCTGC TCTTGTGCTT CCTGATCCCA
8761 CAATAAAGGT CAATCTTCA CCTTGAAAAA AAAAAAAAAA AA

```

4/9

Human	MIPARFAGVLLALALILPGTLCAEGTRGRSSSTARCSLFGSDFVNTFDGSMYSFAGYCSYL	60
Dog	-S-T-LVR-----K-TK--V---M-----L-G-I---E-----D----	
Human	LAGGCQKRSFSIIIGDFQNGKRVSLSVYLGEFFDIHLFVNGTVTQGDQRVSMPLYASKGLYL	120
Dog	---D--EH-I-L--G---D-----ML--T-SI-----N----	
Human	ETEAGYYKLSGEAYGFVARIDGSGNFQVLLSDRYFN.TCGLCGNFNIFAEDDFMTQEGTL	180
Dog	-A-----S-----N-----K-----	
Human	TSDPYDFANSWALSSGEQWCERASPPSSSCNISSGEMQKGLWEQCQLLKSTSVFARCHPL	240
Dog	-----R-K-V-----P--V--D-V-QV-----A-----	
Human	VDPEPFVALCEKTLCECAGGLECACPALLEYARTCAQEGMVLYGWTDSACSFPVCPAGME	300
Dog	-----R--T-VQ-M--P-AV-----A--Q-I-----V-R-A-----	
Human	YRQCVSPCARTCQSLHINEMCQERCVDGCSCPEGQLLDEGLCVESTECPCVHSGKRYPPG	360
Dog	-KE-----T-----VK-V--Q-----H--G-A-S--A-Q-----	
Human	TSLSRDCNTCICPNSQWICSNEECPEGCLVTGQSHFKSFDNRYFTFSGICQYLLARDCQD	420
Dog	A--LQ--H-----L-----V-H-----Q----	
Human	HSFSIVIETVQCADDRDAVCTRSVTVRLPGLHNSLVKLNHAGVA'DGQDVQLPLKGD	480
Dog	-T-V-----L-----H-----N-G-S-----I-I--Q---	
Human	RIQHTVTASVRLSYGEDLQMDWDGGRLLVKLSPVYAGKTCGLCGNYNGNQDDFLTPSG	540
Dog	-----M-----S-V-----T-Y-A-----RG-----R--V--A-	
Human	LAEPREDFGNAWKHLHGDCQDLQKHSDPCALNPRMTRFSEEACAVLTSPTFEACHRAVS	600
Dog	-----L-----L-A-EN-----R--S-----QA--A-----L--SK--P-----G	
Human	PLPYLRNCRYDVCSCSDGRECLCGALASYAAACAGRGVRVAWREPGRCELNCPKGQVYLO	660
Dog	-Q--VQ--L-----D--S-V-N--V-R--HI-----F-A-S--Q-----	
Human	CGTPCNLTCSRSLSPDEECNEACLEGCFPPGLYMDERGLCVPKAQCPCYDGEIFQPED	720
Dog	-----M--L-----E-D--V--S--S-----L-----	
Human	IFSDRHTMCYCEDGFMHCTMSGVPGSLLPDAVLSSPLSHRSKRSLSCRPPMVKLVCADN	780
Dog	-----T--GL-----NP-----RC-----	
Human	LRAEGLECTKTCQNYDLECMSMGCVSGCLCPPGMVRHENRCVALERCPCFHQKEYAPGE	840
Dog	P-----A-----Q--T-----Q-----Q-----	
Human	TVKIGCNTCVCRDRKWNCTDHVCDATCSTIGMAHYLTFDGLKYLFPGECQYVLVDYCGS	900
Dog	---D-----T-----A-----	
Human	NPGTFRILVGNKGCSPVCKKRVTLILVEGGEIELFDGEVNVKRPMDETHFEVVESGR	960
Dog	---L-----E--Y-----K-----Q	
Human	YIILLGKALSVVWDRHLSISVVLKQTYQEKVCGLCGNFDGIQNNDLTSSNLQVEEDPVD	1020
Dog	-V-----HR-----T--R--Q-----F--S--I-----	
Human	FGNSWKVSSQCADTRKVPLDSSPATCHNNIMKQTMVDSSCRILTSDFQDCNKLVDPEPY	1080
Dog	-----NP-----K-----V-----I-----R-----F	

FIGURE 2A

5/9

Human	LDVCIYDTCSCESIGDCACFCDTIAAYAHVCAOHGKVVTWRTATLCPOSCEERNLRENGY	1140
Dog	--I-----T-----A---F---N-----H---	
Human	ECEWRYNSCAPACQVTCQHPEPLACPVQCVEGCHAHCPGKILDELLQTCVDPEDCPVCE	1200
Dog	-----PI-----I-----	
Human	VAGRRFASGKKVTLNPSDPEHCQICHCDVNLTCACQEPGGLVVPPTDAPVSPTTLYVE	1260
Dog	-----L-P---II-----N--G--F--K--R---SV-----G-IGS--S---	
Human	DISEPPLHDFYCSRLDLVFLLDGSSRLSEAEFEVLKAFVVDMMERLRISQKWVRVAVVE	1320
Dog	-T-----H-----K--D-----V--G--H-H---RI-----	
Human	YHDGSHAYIGLKDRKRPSELRRIASQVKYAGSQVASTSEVLKYTLFOIFSKIDRPEASRI	1380
Dog	-----E-----T-----E-----G-----	
Human	ALLMASQEPQRMRSRNFVRYVQGLKKKKVIVIPVGIGPHANLKQIRLIEKQAPENKAFVL	1440
Dog	-----S-LA--L-----S---H-----F	
Human	SSVDELEQQRDEIVSYLCDLAPEAPPPTLPPEHAQVTVGPGLGVSTLGPKRNSMVLDVA	1500
Dog	-G-----R---IN-----A--QH-P-----SE-----SP-----V	
Human	FVLEGS DKIGEADFNRSYEFMEEVIQRMVGDQDSIHVTVLQYSYMTVEYPPFSEAQSKGD	1560
Dog	-----N--K-R-----R-----T-----E	
Human	ILQVRREIRYQGGNRTNTGLALRYLSDHSFLVSQGDREQAPNLVYMTGNPASDEIKRLP	1620
Dog	V--Q--D--R-----Q--E--S-----V-----M-	
Human	GDIQVVPIGVGPANVQELERIGWPNAPILIQDFETLPREAPDLVLQRCSSGEGLCIPTL	1680
Dog	-----H-----K-----H--M-----	
Human	SPAPDCSQPLDVILLDGSSSFPA SYFDEMKSFAKAFISKANIGPRLTQVSVLQYGSITT	1740
Dog	--T-----V-----I-----T---R-----	
Human	IDVPWNVVPEKAHLLSLVDVMQREGGPSQIGDALGFAVRYLTSEMHGARPGASKAVVILV	1800
Dog	-----AY--V-----L--Q-----E-----S-----V--V-----	
Human	TDVSVDSVDAADAARSNRVTVPFPIGIGDRYDAAQLRILAGPAGDSNVVKLQRIEDLPTM	1860
Dog	-----E-----SE---SS---KAG--M-R-----V	
Human	VTLGNSFLHKLCSGFVRI CMDEDGNEKRP GDVWTLPDQCHTVTCQPDGQTLLKTHRVNCD	1920
Dog	A-----F-----D-V-V-----L-----S-----	
Human	RGLRPSCPN SQSPVKVEETCGCRWTCPCVCTGSSTRHIVTFDQGNFKLTGSCSYVLFONK	1980
Dog	--P-----G-P-LR-----M-----	
Human	EQDLEVILHNGACSPGARQGC MKSIEVKHSALSVELHSDMEVTVNGRLVSVFPYVGGNMEV	2040
Dog	-----Q-----KET-----DG-----QM-----I-----D---	
Human	NVYGAIMHEVRFNHLGHIFTFTPQNNEFQLQLSPKTFASKTYGLCGICDENGANDFMLRD	2100
Dog	----T--Y-----R-----I---	
Human	GTVTTDWKTILVQEWTVQRPQTCPQILEEQCLVPDSSHCQVLLPLFAECKVLAPATFY	2160
Dog	-----A-I-----QL-K-S--VH---P-SEFF-----SE-----	

FIGURE 2B

6/9

Human	AICQODSCHQEQVCEVIASYAHLCRTNGVCVDWRTPDFCAMSCPPSLVYNHCEHGCPRHC	2220
Dog	-M--P----PKK---A--L-----K-----RAN-----L-	
Human	DGNVSSCGDHPSEGCFPPDKVMLEGSCVPPEEACTQCIGEDGVQHQFLEAWVPDHPQCI	2280
Dog	E--T-----Q-----NQ-----S---R---T---A-----	
Human	CTCLSGRKVNCTTQPCPTAKAPTCLCEVARLRONADQCCPEYECVCDPVSCDLPFVPHC	2340
Dog	-----L-----P-----V-----L-----P-	
Human	ERGLQPTLTNPGECPNFTCACRKEECKRVSPSPCPHRLPTLRKTQCCDEYECACNCVN	2400
Dog	-D--M-----D--R-E-----T-A-----	
Human	STVSCPLGYLASTATNDCCGCTTTTCLPDKVCVHRSTIYPVGQFWEEGCDVCTCTDMEDAV	2460
Dog	-----AV-----F-----G-----A-----L--S-	
Human	MGLRVAQCSQKPCEDSCRSGFITYVLHEGECCGRCLPSACEVVTGSHRGLSQSSWKS VGSQ	2520
Dog	-----N-L-----A--H--N--H	
Human	WASPENPCLINECVRVKEEVFIQQRNVSCPQLEVVPVCPSPGFQLSCKTSACCPSCRCERME	2580
Dog	---D-----V-----N--T--T-----E---T-H--PL-	
Human	ACHLNGTVIGPGKTVMIDVCTTCRCMVQGVISGFKLECRKTTNCPCLGYKEENNTGEC	2640
Dog	--L---I-----SL-----T-P-----G-----EA-----K-Q---	
Human	CGRCLPTACTIQLRGGQIMTLKRDETLDGCDTHFCVNERGEYFWEXRVTGCPPFDEHK	2700
Dog	-----I-----I-----S-----I-----	
Human	CLAEGGKIMKIPGTCCDTCEEPECNDITARLQYVKVGSKSEVEVDIHYCOGKCASKAMY	2760
Dog	-----K--I-K--R---D---E-----E-----V-	
Human	SIDINDVQDQSCCSPTRTPEMQVALHCTNGSVVYHEVLNAMECKCSPRKCSK	2813
Dog	--HME-----Q-----R---LI---I---I---R-----	

FIGURE 2C

Affected

GATC

Carrier

GATC

Clear

GATC



2.1.1.1

8/9

exon 4 AAATGACAAAAGAGTGAGCCGGTC*

AGGGGGTTTCCAAAATGACAAAAGAGTGAGCCTCTCCGTGTATCTCGGAGAATTTTTCGA
G G F Q N D K R V S L S V Y L G E F F D

CATTCAATTTGTTTGTCAATGGTACCATGCTGCAGGGGACCCAAAGGTAAGTCAGAAGCCC
I H L F V N G T M L Q G T Q R

GAATGTTCAAGTTAATATGGACCCTGGGGATCACTTTGCAACCCCTTGTTTTTTCAGAT

GAGGGAGCCCGGGGCCAGAGACAGGAAGTAAATGTGCCCAGGGAAAGTGAGTGGCAGGAC

TGGGTGAAAGCCCCATATCCCGACTCCTGGTCAAGGAGACTTTGCACCAAGGTCCCAGCC
3' - GGGCTGGCGACCAGTTCCTCTGAA - 5'


CTGGAGCATGGGGTTGGGGTTGGAAGGTGGAGGGACATGGAGGAAATGCATGAGAAGCAC

exon 5

GCTTCCTGAGCTCCTCCTTGTCCCACCAGCATCTCCATGCCCTACGCCTCCAATGGGC
I S M P Y A S N G

FIGURE 4

9/9



Hi 5.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US97/12606

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : C12Q 1/68; C12P 19/34; C07H 21/02, 21/04

US CL : 435/6, 91.2; 536/23.1, 24.3, 24.33

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/6, 91.2; 536/23.1, 24.3, 24.33

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y --- A	SHIBUYA, H. et al. A polymorphic (AGGAAT) _n tandem repeat in an intron of the canine von Willebrand factor gene. Animal Genetics. April 1994, Volume 25, Number 2, page 122, see entire document.	15-22, 24-26, 28, 31 ----- 1-14, 23, 27, 29



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

28 AUGUST 1997

Date of mailing of the international search report

14 NOV 1997

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

DIANNE REES

Telephone No. (703) 308-0196

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS, BIOSIS, BIOTECHABS, BIOTECHDS, CABA, DGENE, DRUGU, EMBASE, MEDLINE, EUROPATFULL, JAPIO, WPIDS, USPATFULL, GENBANK

search terms: von Willebrand, sequence, clone, cloning, probes, primers, hybridization, detection, nucleic acids, mutations, canine, dogs, Scottish terriers, primers in Figure 4.

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)